AUTHOR INDEX TO VOLUME 21

Abd-El-Hakim, A. A.: see Moustafa, A. B.
Abdel-Fattah, S. H., Shalaby, S. E., Allam, E. A., and Hebeish, A.: Benzoyl Peroxide-Induced Graft Polymerization of 2-Methyl-5-Vinylpyridine Onto Polyester/Wool Blend, 3355
Abdel-Mohdy, F. A.: see Hebeish, A.
Adams, H. T.: see Hartz, R. E.
Agarwal, P. K. and Plazek, D. J.: Shear Creep Recovery Behavior of UPAC Low-Density Polyethylenes, 3251
Aharoni, S. M.: Stoichiometrically Solvated Polyalkylbenzimidazole Crystals, 181
——: On the Relationship Between K and a and Between K_θ and the Molecular Weight Per Chain Atom, 1323
Ahmad, A. and Anthony, R. G.: Segregated and Two-Environment Reactor Models—Calculation of Molecular Weight Distributions, 1401
——, Treybig, M. N., and Anthony, R. G.: Multiple Steady-State Solutions in an Isothermal Perfectly Mixed Flow Reactor, 2021
Alberino, L. M., Farrissey, W. J., Jr., and Sayigh, A. A. R.: Preparation and Properties of Polycarbodiimides, 1999
Allam, E. A.: see Abdel-Fattah, S. H.
Allen, N. S. and McKellar, J. F.: Photochemical Reactions in a Commercial Poly(ether Sulfone), 1129
——, Homer, J., and McKellar, J. F.: Origin and Role of the Luminescent Species in the Photo-oxidation of Commercial Polypropylene, 2261
——, ——, ——, and Wood, D. G. M.: Identification of the Luminescent Species in Low-Density Polyethylene, 3147
Ambler, M. R.: Evaluation of Different Branching Functions Used in the Determination of Random Branching by GPC, 1655
—— and McIntyre, D.: Randomly Branched Styrene/Divinylbenzene Copolymers. II. Solution Properties and Structure, 2269
—— and ——: Randomly Branched Styrene/Divinyllbenzene Copolymers. I. Preparation, Molecular Weight Characterization, and GPC Analysis, 3237
——, Fetters, L. J., and Kesten, Y.: The Effects of Flow Rate and Column Combination on the Separation Efficiency in Multicolumn Gel Permeation Chromatography, 2439
Anthony, R. G.: see Ahmad, A.
Arenz, R. J.: On the Form of the Strain Energy Function for a Family of SBR Materials, 2453
Awaya, H.: see Fujiyama, M.

Bagley, E. B.: see Taylor, N. W.
——: see Dennenberg, R. J.
Baker, F. S.: see Gettings, M.
Ballman, R. L.: see Everage, A. E., Jr.
Banasiak, D. H., Grandt, A. F., Jr., and Montulli, L. T.: Fatigue Crack Retardation in Polycarbonate, 1297
Bankar, V. G., Spruiell, J. E., and White, J. L.: Melt-Spinning Dynamics and Rheological Properties of Nylon 6, 2135
——, ——, and ——: Melt Spinning of Nylon 6: Structure Development and Mechanical Properties of As-Spun Filaments, 2341
Bantjes, A.: see Froehling, P. E.
Barlow, J. W.: Effect of Glass Reinforcement on Burning Rates of Poly(methyl Methacrylate) Composite Candles, 303
——, Wild, L., and Ranganath, R.: Gel Permeation Chromatography of Polyethylene. I. Calibration, 3319
——: see Wild, L.
Barnes, H. M., Skaar, C. and Luner, P.: Water-Vapor Sorption by Amylose and Cellulose Acetates, 1085
Bascom, W. D.: see Peyser, P.
Batzer, H. and Zahir, S. A.: Studies in the Molecular Weight Distribution of Epoxide Resins. IV. Molecular Weight Distributions of Epoxide Resins Made from Bisphenol A and Epichlorohydrin, 1843
Beach, B. M.: see Shultz, A. R.
Bell, J. P., Reffner, J. A. and Petrie, S.: Amine-Cured Epoxy Resins: Adhesion Due to Reaction with Air, 1095
Bell, A. T.: see Peric, D.
Bellott, E. M.: see Meier, J. F.
Bendak, A.: see Hebeish, A.
Benerito, R. R.: see Jung, H. Z.
——: see Ward, T. L.
Benoit, H.: see Guenet, J. M.
——: see Marais, L.
Bergman, G., Bertilsson, H., and Shur, Y. J.: Antiplasticization and Transition to Marked Nonlinear Viscoelasticity in Poly(vinyl Chloride)/Acrylonitrile–Butadiene Copolymer Blends, 2953
Berni, R. J.: see Jung, H. Z.
Berstad, B. H. and Slee, J. D.: A Relationship Between Steady-State Shear Melt Viscosity and Molecular Weight Distribution in Polystyrene, 2631
Bertilsson, H.: see Bergman, G.
Betrabet, S. M.: see Paralikar, K. M.
Bishal, A. M.: see Hakim, I. K.
Bly, D. D.: see Yau, W. W.
Böhm, G. G. A., DeTrano, M., Pearson, D. S., and Carter, D. R.: Comparison of the Physical Properties of Radiation and Sulfur-Cured Poly(Butadiene-co-Styrene), 3193
Boissel, J.: Double Bonds in Poly(vinyl Chloride), 855
Bottino, A.: see Vigo, F.
Bowerman, H. H.: see Nakajima, N.
Brezezinski, Z.: see Brzozowski, Z.
Broido, A. and Yow, H.: Application of the Weibull Distribution Function to the Molecular Weight Distribution of Cellulose, 1667
—— and ——: Resolution of Molecular

Weight Distribution in Slightly Pyrolyzed Cellulose Using the Weibull Function, 1677
Brzozowski, Z. K., Gajewski, M., and Brzezinski, Z.: Properties of Elastomers Crosslinked by Bisglycidyl Ether of 2,2-Bis(*p*-hydroxyphenyl)-1,1,1-trichlorethane, 1783
Buchanan, R. A.: see Dennenberg, R. J.
Burr, R. C.: see Fanta, G. F.

Cabasso, I., Klein, E., and Smith, J. K.: Polysulfone Hollow Fibers. II. Morphology, 165
——, Robert, K. Q., Klein, E., and Smith, J. K.: Porosity and Pore Size Determination in Polysulfone Hollow Fibers, 1883
Campbell, G. A. and Meluch, W. C.: Polyurethane Waste Disposal Process Development: Amine Recovery, 581
——: see Dearlove, T. J.
Canbäck, G.: see Rabek, J. F.
Capannelli, G.: see Vigo, F.
Caplan, P. J.: see Helbert, J. N.
Carlsson, D. J., Garton, A., and Wiles, D. M.: The Weatherability of Polypropylene Monofilaments. Effects of Fiber Production Conditions, 2963
Carter, D. R.: see Böhm, G. G. A.
Chan, T. W.: see Vlachopoulos, J.
Chaney, C. E.: see Fava, R. A.
Chang, E. P.: Crystallization Studies on Fire-Retardant Polypropylene, 937
——, Kirsten, R., and Slagowski, E. L.: Dynamic Mechanical and Thermal Properties of Fire-Retardant High-Impact Polystyrene, 2167
Chatterjee, A., Kabra, K., and Graessley, W. W.: Free-Radical Polymerization with Long-Chain Branching Batch Polymerization of Vinyl Acetate in *t*-Butanol, 1751
Chen, S. J.: see Han, C. D.
Chen, Y.-D. M. and Cohen, R. E.: The Influence of Molecular Weight on the Large Deformation Behavior of SBS Triblock Copolymer Elastomers, 629
Chiklis, C. K.: see DeMember, J. R.
Chiou, C. S. and Gordon, R. J.: Vena Contracta Suppression in Dilute Polymer Solutions, 1359
Chiu, G.: see Gipstein, E.
Choi, S.-K.: see Williams, J. L.
Chu, W. H., Gipstein, E. and Ouano, A. C.: Morphological Studies of Poly(olefin Sulfones) by Light Scattering, 1045
Christopher, P. C.: Gel Permeation Chromatography Method for GPC System Definition and Performance (Erratum), 871
Cluff, E. F.: see Shih, C. K.
Cohen, R. E.: see Chen, Y.-D. M.
Collins, E. A.: see Nakajima, N.
Conde, A.: see Yenwo, G. M.
Cooper, S. L.: see Hubbell, D. S.
Crandall, E. W. and Jagtap, A. N.: The Near-Infrared Spectra of Polymers, 449
Creel, R. B.: see Von Meerwall, E.
Curro, J. G.: see Salazar, E. A.
Czekaj, T. and Kapko, J.: Semiconductor Properties of Polyamide-6 Containing Dispersed Copper or Zinc Additives, 2475

Dafler, J. R.: The Ultimate Polymer Application: Resin-Bonded Cellulose Separators for Lead–Acid Batteries, 2551
Dagan, A.: see Narkis, M.
Daneault, C.: see Hornof, V.
Daruwalla, E. H.: see Sharma, V. N.
——: see Lockhande, H. T.
Dearlove, T. J. and Campbell, G. A.: Synthesis and Characterization of Isocyanate-Terminated Polyurethane Prepolymers, 1499
DeMember, J. R., Taylor, L. D., Trummer, S., Rubin, L. E., and Chiklis, C. K.: Carbon-13 NMR of Hydroxyethylcellulose: An Accurate Method for Structural Determination, 621
Dennenberg, R. J., Buchanan, R. A., and Bagley, E. B.: Filler Structure and Tensile Properties of Starch Xanthide-Reinforced Vulcanizates, 141
DeTrano, M.: see Böhm, G. G. A.
Devia, N.: see Yenwo, G. M.
DiBenedetto, A. T.: see Mehta, B. S.
——, A. T.: see Narkis, M.
DiCato, E.: see Von Meerwall, E.
Dickie, R. A.: see Killgoar, P. C., Jr.
Dimov, K.: see Pavlov, P.
Djurner, K., Kubát, J., and Rigdahl, M.: An HDPE-Phase Melting at 137°C Formed During Injection Molding at Pressures in the 100–500 MPa Range, 295
Doane, W. M.: see Fanta, G. F.
——: see Stout, E. I.
——: see Trimmell, D.
Donatelli, A. A., Sperling, L. H. and Thomas, D. A.: A Semiempirical Derivation of Phase Domain Size in Interpenetrating Polymer Networks, 1189
Dovbii, Eu. V.: see Ershov, Yu. A.
Drake, G. L., Jr.: see Frank, A. W.
Duchesne, G.: see Perrault, G.
Duda, J. L.: see Vrentas, J. S.
Dweltz, N. E.: see Kulshreshtha, A. K.
——: see Somashekar, T. H.

Egami, M.: see Sato, T.
Eisenberg, A.: see Yeo, S. C.
Elmqvist, C.: see Svanson, S. E.
El-Rafie, M. H.: see Hebeish, A.
Enkelmann, V. and Wegner, G.: Transport Properties of Asymmetric Polyamide Membranes, 997
Ernst, K.: see Hammon, H. G.
Ershov, Yu. A. and Dovbii, Eu. V.: The Effect of Active Azodyes on the Polycaproamide Photo-Oxidation Kinetics, 1511
Everage, A. E., Jr. and Ballman, R. L.: Extensional Deformation of Polymer Melts, 841
—— and Gordon, R. J.: Modified Bead-Spring Theory of Polymer Solutions. IV. Extension to Polymer Melts, 1421

Fanta, G. F., Burr, R. C., Doane, W. M., and Russell, C. R.: Graft Polymerization of Styrene onto Starch by Simultaneous Cobalt-60 Irradiation, 425
Farrissey, W. J., Jr.: see Alberino, L. M.
Fava, R. A. and Chaney, C. E.: A New Method for Torsional Pendulum Analysis of Polymers Through the Glass Transition Region, 791
Feairheller, S. H.: see Gruber, H. A.

Fellers, J. F.: see Lenk, R. S.
Ferrillo, R. G.: see Granzow, A.
Ferry, J. D.: see Rhee, C.-K.
Fetters, L. J.: see Ambler, M. R.
——: see Rhee, C.-K.
Francis, M. A.: see Vaughan, M. F.
Frank, A. W. and Drake, G. L., Jr.: Uses of Aldehydes Other Than Formaldehyde in THPOH/Ammonia Flame Retardant Finishes for Cotton, 3087
Frank, P. P.: see Meier, J. F.
Freedman, B.: see Windle, J. J.
Fricke, A. L.: see Pusatcioglu, S. Y.
Frisch, H. L.: see Kim, S. C.
Frisch, K. C.: see Kim, S. C.
Froehling, P. E., Koenhen, D. M., Smolders, C. A., and Bantjes, A.: Uptake of Tridodecylmethylammonium Chloride by PVC, 2855
Fujii, M.: see Koros, W. J.
Fujiyama, M. and Kimura, S.: Effect of Some Molecular Parameters on the Flexural Properties of Injection-Molded Polypropylene, 2283
——, M., Awaya, H., and Kimura, S.: Mechanical Anisotropy in Injection-Molded Polypropylene, 3291
Fukuda, M.: see Kato, Y.
Fukutomi, M.: see Kato, Y.
Furukawa, J., Kobayashi, E., and Kawagoe, T.: Acetylene–Butadiene Copolymer for Polymer Coatings, 597

Gaesser, G. J.: see Slagowski, E. L.
Gajewski, M.: see Brzozowski, Z.
Gallot, Z.: see Guenet, J. M.
——: see Marais, L.
Gan, L. M., Soh, G. B., and Ong, K. L.: Vulcanization of Butyl Rubber by *p*-Quinone Dioxime, 1771
Garrett, T. B. and Goldfarb, L.: Annealing of Plasticized PVC. Dilatometric and DSC Observations, 1395
Garton, A.: see Carlsson, D. J.
Gazicki, M., Wróbel, A. M., and Kryszewski, M.: Studies on Soluble Fraction of Glowing Discharge Polysilazane Formed from Hexamethylcyclotrisilazane, 2013
Gebauer, R. C.: see Slagowski, E. L.
Geil, P. H.: see Singleton, C. J.
Gent, A. N. and Hamed, G. R.: Peel Mechanics for an Elastic-Plastic Adherend, 2817
George, G. A., Sacher, R. E., and Sprouse, J. F.: Photooxidation and Photoprotection of the Surface Resin of a Glass Fiber–Epoxy Composite, 2241
Gettings, M., Baker, F. S., and Kinloch, A. J.: Use of Auger and X-ray Photoelectron Spectroscopy to Study the Locus of Failure of Structural Adhesive Joints, 2375
Ghafoor, A. and Still, R. H.: Thermal Degradation of Polymers. XVII. Thermal Analysis of Polyquinazolones and Related Systems, 2905
Gilbert, A. S., Pethrick, R. A., and Phillips, D. W.: Acoustic Relaxation and Infrared Spectroscopic Measurements of the Plasticization of Poly(methyl Methacrylate) by Water, 319
Gillen, K. T.: see Salazar, E. A.
Gillham, J. K., Stadnicki, S. J., and Hazony, Y.: Low-Frequency Thermomechanical Spectrometry of Polymeric Materials: Tactic Poly(methyl Methacrylates), 401
——: see Kiran, E.
Gipstein, E., Moreau, W., Chiu, G., and Need, O. U., III: The Synthesis and Evaluation of Cyclic Olefin Sulfone Copolymers and Terpolymers as Electron Beam Resists, 677
——: see Chu, W. H.
——: see Kiran, E.
Goldfarb, L.: see Garrett, T. B.
Gordon, R. J.: see Chiou, C. S.
——: see Everage, A. E., Jr.
Goswami, D. N. and Bhattacharya, P. R.: The Dialectric Behavior of the Natural Resin Manila Copal, 2465
Gotō, K.: see Iida, T.
Graessley, W. W.: see Chatterjee, A.
Graham, S. G.: see Warwicker, J. O.
Grandt, A. F., Jr.: see Banasiak, D. H.
Granzow, A., Ferrillo, R. G., and Wilson, A.: The Effect of Elemental Red Phosphorus on the Thermal Degradation of Poly(ethylene Terephthalate), 1687
Griffin, C. F.: see Von Meerwall, E.
Gruber, H. A., Harris, E. H., Jr., and Feairheller, S. H.: Characterization of the Chromium (III)-Crosslinked Collagen–Poly(Butyl Acrylate) Graft Copolymer, 3465
Grzywna, Z.: see Izydorczyk, J.
Guenet, J. M., Gallot, Z., Picot, C., and Benoit, H.: Isotactic Polystyrene Characterization by Gel Permeation Chromatography in Tetrahydrofuran, 2181
Guise, G. B.: Poly(carbamoyl Sulfonates) (Bisulfite Adducts of Polyisocyanates), 3427
Gumbs, R. W.: see Paul, D. F.
Gupta, R. N., Jain, P. C., and Nanda, V. S.: Effect of Pressure on Melting Temperature and Other Associated Thermodynamic Functions of Polyethylene, 2621

Hebeish, A.: see Abdel-Fattah, S. H.
Hakim, I. K., Bishal, A. M. and Hanna, F. F.: Effect of Natural Aging on the Dielectric Properties of Natural Rubber Mixed with Some White Fillers, 1155
Hamazaki, T., Kanchiku, Y., Handa, R., and Izumi, M.: Electron-Microscopic Procedure for Acrylic Rubber, 1569
Hamed, G. R.: see Gent, A. N.
Hamielec, A.: see Shinozaki, D. M.
Hammon, H. G., Ernst, K., and Newton, J. C.: Noble Gas Permeability of Polymer Films and Coatings, 1989
Han, C. D., Villamizar, C. A., Kim, Y. W., and Chen, S. J.: Morphology and Mechanical Properties of Injection-Molded Specimens of Two-Phase Polymer Blends, 353
——: see Kim, Y. W.
Hancock, T. A., Spruiell, J. E., and White, J. L.: Wet Spinning of Aliphatic and Aromatic Polyamides, 1227
Handa, R.: see Hamazaki, T.
Hanna, A. A.: see Shinouda, H. G.
Hanna, F. F.: see Hakim, I. K.
Harel, H.: see Marom, G.
Harris, E. H., Jr.: see Gruber, H. A.
Hartstein, A. M.: see Kratzer, R. H.
Hartz, R. E. and Adams, H. T.: Effects of Atmospheric Pollutants at High Temperatures on the Adhesion of RFL-Coated Tire Cords to Rubber, 525

Hartmann, B. and Lee, G. F.: Torsional Braid Analyzer Measurements of Polymer Damping Factors, 1341
Hashimoto, M.: see Kishimoto, Y.
Hashimoto, T.: see Kato, Y.
Hassler, J. C.: see Pusatcioglu, S. Y.
Hata, N. and Kumanotani, J.: Viscoelastic Properties of Epoxy Resins. III. Effect of Molecular Weight of Antiplasticizers in Highly Crosslinked Antiplasticization System, 1257
Hauserman, R. G.: see Johnson, M.
Hayakawa, K. and Yamakita, H.: Preparation of Mercaptoethylated Graft Fibers for Adsorption of Heavy Metal Ions, 665
——, Kawase, K., and Yamakita, H.: Graft Polymerization of Triethoxyvinylsilane–Styrene and Triethoxyvinylsilane–Methyl Methacrylate Binary Monomers onto Various Silicates, 2921
Hayashi, T.: see Kishimoto, Y.
Hayashi, K.: see Yamashita, S.
Hazony, Y.: see Gillham, J. K.
Hearle, J. W. S. and Lomas, B.: The Fracture of Nylon 66 Yarns Which Have Been Exposed to Light, 1103
——: see Konopasek, L.
Hebeish, A., El-Rafie, M. H., Khalil, M. I., and Bendak, A.: Graft Copolymerization of Vinyl Monomers onto Modified Cottons. VIII. Dimethylaniline–Benzyl chloride-Induced Grafting of Methyl Methacrylate onto Partially Carboxymethylated Cotton, 1901
——, ——, ——, and ——: Grafting of Nylon 66 with Methyl Methacrylate Using Dimethylaniline–Benzyl Chloride–Acetic Acid Initiating System, 1965
——, Moursi, A. Z., Khalil, M. I., and Abdel-Mohdy, F. A.: Dyeing of Chemically Modified Celluloses. II. Effect of Chemical Modification of Cellulose on the Dyeing Properties of Some Direct Dyes, 2191
Helbert, J. N., Caplan, P. J., and Poindexter, E. H.: Radiation Degradation of α Substituted Acrylate Polymers and Copolymers, 797
Henson, H. M.: see Nadella, H. P.
Hergenrother, P. M.: Quinoxaline/Phenylquinoxaline Copolymers, 2157
Higashide, F.: see Omata, K.
Hill, J. M.: Load-Deflection Relations of Long Cylindrical Rubber Bush Mountings Constructed from Rectangular Blocks, 1459
Hirotsu, T.: see Yasuda, H.
Hofreiter, B. T.: Amylose Graft Polymers Made by ^{60}Co Gamma-Irradiation, 761
Hollahan, J. R. and Wydeven, T.: Some Experimental Parameters Affecting Performance of Composite Reverse Osmosis Membranes Produced by Plasma Polymerization, 923
Homer, J.: see Allen, N. S.
Hopfenberg, H. B.: see Koros, W. J.
——: see Lee, K. L.
Horigome, S. and Taniguchi, Y.: Ion Movements in Cellulose Acetate Membranes, 343
Hornof, V., Kokta, B. V., and Valade, J. L.: The Xanthate Method of Grafting. V. Graftability of Mechanical Pulp, 477
——, Daneault, C., Kokta, B. V., and Valade, J. L.: The Xanthate Method of Grafting VI. The Copolymer–Homopolymer Ratio, 2991
Hosoi, M.: see Ouchi, I.
Hosono, M., Sugii, S., Kitamaru, R., Man Hong, H., and Tsuji, W.: Polyelectrolyte Complex Prepared from Carboxymethylated and Aminoacetalized Derivatives of Poly(vinyl Alcohol), 2125
Hourston, D. J. and Hughes, I. D.: Polymeric Systems for Acoustic Damping. I. Poly-(vinyl Chloride)–Segmented Polyester Ester Blends, 3099
Howard, G. J., Lyth Hudson, F., and West, J.: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. I. Polyacrylamides, 1
——, ——, and ——: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. II. Poly(vinylpyridines), 17
——, ——, and ——: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. III. Modified Polyacrylamides, 29
——, ——, and ——: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. IV. Some Block and Graft Copolymers, 45
Hsieh, K. H.: see Lin, C. C.
Hubbell, D. S. and Cooper, S. L.: The Physical Properties and Morphology of Poly-ϵ-caprolactone–Polymer Blends, 3035
Hughes, I. D.: see Hourston, D. J.
Hunston, D. L.: see Ting, R. Y.
Husband, S., Russell, K. E., Stone, J. A., and Wan, J. K. S.: Photochemical Degradation of Glassy Polyesters of Low Softening Point, 611

Ibe, E. C. and Valko, E. I.: The Absorption of Direct Dyes by Crosslinked Cellulose. I. The Equilibrium of Dyeing, 371
—— and ——: The Absorption of Direct Dyes by Crosslinked Cellulose. II. Rate of Dyeing and Diffusivity, 385
Ihara, H.: see Kusomoto, K.
Iida, T., Kataoka, N., Ueki, N., and Gotō, K.: Stabilization of Poly(vinyl Chloride). III. Synergism Between Metal Soaps and Masking Agents on the Stabilization of Poly(vinyl Chloride), 2041
Inaba, T.: see Ogawa, T.
Inagaki, N., Onishi, H., Kunisada, H., and Katsuura, K.: Flame Retardancy Effects of Halogenated Phosphates on Poly(ethylene Terephthalate) Fabric, 217
Ishigaki, I., Watanabe, Y., Morita, Y., Takada, K., and Ito, A.: Iodine-Initioted, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. I. Fundamental Study on Beaker-Scale Copolymerization, 711
——, Morishita, N., Morita, Y., and Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. IV. Fractional Dissolution of Copolymer, 749
——, Morita, Y., Nishimura, K., Yokooji, M., and Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. III.

Study on Larger-Scale Copolymerization, 735
——: see Morita, Y.
Ito, A.: see Ishigaki, I.
——: see Morita, Y.
——: see Suzuki, J.
Izumi, M.: see Hamazaki, T.
Izydorczyk, J., Podkówka, J., Salwiński, J., and Grzywna, Z.: A New Method of Determination of the Permeability of Vapors of Volatile Liquid Substances Through Polymer Membranes, 1835

Jagtap, A. N.: see Crandall, E. W.
Jagur-Grodzinski, J.: see Ozari, Y.
Jain, P. C.: see Gupta, R. N.
Jamieson, A. M.: see McDonnell, M. E.
Janča, J. and Kolinsky, M.: Gel Permeation Chromatography in the Study of the Molecular Weight Distribution of the Copolymer Vinyl Chloride–Vinyl Acetate, 83
Joesten, B. L. and Wagner, E. R.: Halogen-Modified Impact Polystyrene. II. Evidence for Condensed-Phase Reactions by Thermogravimetry, 2675
Johnson, M. and Hauserman, R. G.: Diffusion of Stabilizers in Polymers. IV. 2,4-Dihydroxybenzophenone in Plasticized Poly(vinyl Chloride), 3457
Jozefonvicz, J.: see Petit, M. A.
Jung, H. Z., Benerito, R. R., Berni, R. J., and Mitcham, D.: Effect of Low Temperatures on Polymorphic Structures of Cotton Cellulose, 1981

Kabra, K.: see Chatterjee, A.
Kalfoglou, N. K.: Thermomechanical Studies of Semicrystalline Polyether–Ester Copolymers. Effect of Thermal, Mechanical, and Solvent Treatment, 543
Kamiya, Y. and Takahashi, F.: Effect of Water on Permeation, Diffusion, and Solution of Gases in Cellophane, 1945
——: see Shiono, T.
Kanchiku, Y.: see Hamazaki, T.
Kapko, J.: see Czekaj, T.
Kardos, J. L.: see Mehta, B. S.
Kartowardoyo, S. and Sundardi, Fl.: Studies on the Preparation and Uses of Co-60 Gamma-Ray Irradiated Natural Latex, 3077
Kataoka, N.: see Iida, T.
Katiofsky, H.: see Terrell, D. R.
Kato, K.: Investigation of High-Density Polyethylene Film Surface Treated with Chromic Acid Mixture by Use of 2,4-Dinitrophenylhydrazine. II. Film Surfaces Treated at 70°C, 2735
Kato Y., Takamatsu, T., Fukutomi, M., Fukuda, M., and Hashimoto, T.: Estimation of Molecular Weight by Gel Permeation Chromatography and Viscometry, 577
Katsuura, K.: see Inagaki, N.
Kaufman, J.: see Kratzer, R. H.
Kawabata, N.: see Yamashita, S.
Kawagoe, T.: see Furukawa, J.
Kawase, K.: see Hayakawa, K.
Kesten, Y.: see Ambler, M. R.
Khalil, M. I.: see Hebeish, A.
Kikuchi, M.: see Toi, K.
Killgoar, P. C., Jr. and Dickie, R. A.: Application of Rayleigh Spectroscopy to the Study of Emulsion and Dispersion Polymerization and Polymers, 1813
Kim, S. C., Klempner, D., Frisch, K. C., and Frisch, H. L.: Polyurethane Interpenetrating Polymer Networks. V. Engineering Properties of Polyurethane–Poly(Methyl Methacrylate) IPN's, 1289
Kim, Y. W. and Han, C. D.: Studies on Melt Spinning. VII. Elongational Viscosity and Fiber Morphology of Multiphase Polymer Systems, 515
——: see Han, C. D.
Kimura, S.: see Fujiyama, M.
Kinloch, A. J.: see Gettings, M.
Kinstle, J. F.: see Lenk, R. S.
Kiran, E., Gillham, J. K., and Gipstein, E.: Pyrolysis–Molecular Weight Chromatography–Vapor-Phase Infrared Spectrophotometry: An On-Line System For Analysis of Polymers. III. Thermal Decomposition of Polysulfones and Polystyrene, 1159
Kirsten, R.: see Chang, E. P.
Kishimoto, Y., Hayashi, T., Hashimoto, M., and Ohshima, T.: Secondary Electron Emission from Polymers and Its Application to the Flexible Channel Electron Multiplier, 2721
Kitamaru, R.: see Hosono, M.
Klein, E.: see Cabasso, I.
Klempner, D.: see Kim, S. C.
Knox, B. H.: Biomodal Character of Polyester–Solvent Interactions. I. Evaluation of the Solubility Parameters of the Aromatic and the Aliphatic Ester Residues of Poly(ethylene Terephthalate), 225
——: Biomodal Character of Polyester–Solvent Interactions. II. Evaluation of the Chemical Structures of the Aromatic and Aliphatic Ester Residues of Poly(Ethylene Terephthalate), 249
——: Bimodal Character of Polyester–Solvent Interactions. III. The Effects of Morphology on the Nature of the Interaction of Nonaqueous Solvents with the Aromatic and the Aliphatic Ester Residues of Poly(ethylene Terephthalate), 267
Kobayashi, A. and Ohtani, N.: Initial Slow Crack Growth Behavior Followed by Rapid Brittle Fracture in a Viscoelastic Solid, 1351
—— and ——: Prefatigue Hysteresis Effects on Viscoelastic Crack Propagation, 2861
Kobayashi, E.: see Furukawa, J.
Kobayashi, S.: see Saegusa, T.
Koenhen, D. M., Mulder, M. H. V., and Smolders, C. A.: Phase Separation Phenomena During the Formation of Asymmetric Membranes, 199
——: see Froehling, P. E.
Koenig, N. H.: Chemical Modification of Wool in Aprotic Swelling Media, 455
Kohama, S. and Umeki, Y.: Alcoholysis of Poly(methylhydrogensiloxane), 863
Kokta, B. V.: see Hornof, V.
Kolinsky, M.: see Janča, J.
Kondo, A.: see White, J. L.
Konieczny, N., Marom, G., and Weinberg, A.: Bromostyrene-Crosslinked Polyesters. III. Electrical Properties, 1801
Konopasek, L. and Hearle, J. W. S.: The

Tensile Fatigue Behavior of para-Oriented Aramid Fibers and Their Fracture Morphology, 2791
Konuma, H.: see Ohya, H.
Koros, W. J., Paul, D. R., Fujii, M., Hopfenberg, H. B., and Stannett, V.: Effect of Pressure on CO_2 Transport in Poly(ethylene Terephthalate), 2899
Košík, M.: see Luston, J.
Kotaka, T.: Gel Permeation Chromatography: Dispersion Effects on Molecular Weight Monitor-Installed Gel Permeation Chromatograph, 501
Kotlárik, B.: see Szöcs, F.
Králiček, J.: see Šimunková, E.
Kramer, M.: see Waterman, J. A.
Kratzer, R. H., Paciorek, K. L., Kaufman, J., Nakahara, J. H., and Hartstein, A. M.: Flammability and Degradation Chracteristics of Styrene–Butadiene Rubbers, 2077
Kraus, G. and Rollmann, K. W.: The Entanglement Plateau in the Dynamic Modulus of Rubbery Styrene–Diene Block Copolymers. Significance to Pressure-Sensitive Adhesive Formulations, 3311
Krška, F.: see Šňupárek, J., Jr.
Krueger, R. A.: see Son, P. N.
Kryszewski, M.: see Gazicki, M.
Kubánek, V.: see Šimunková, E.
Kubát, J.: see Djurner, K.
Kulshreshtha, A. K. and Dweltz, N. E.: A New Process of Decrystallization and Partial Acetylation of Cellulosic Materials, 2085
——: see Somashekar, T. H.
Kumanotani, J.: see Hata, N.
Kumar, A.: Kinetics of Thermal Polymerization of Shellac. V. Turbidimetric and Fractionation Studies, 2695
Kunio, T.: see Suzuki, K.
Kunisada, H.: see Inagaki, N.
Kunst, B. and Vajnaht, Z.: On the Structure of Concentrated Cellulose Acetate Solutions, 2505
Kusomoto, K., Ihara, H., and Mizutani, Y.: Preparation of Macroreticular Anion Exchange Membrane and Its Behavior Relating to Organic Fouling, 3473
Kutowy, O., Matsuura, T., and Sourirajan, S.: Parameters for Prediction of Reverse Osmosis Performance of Cellulose Acetate Propionate Membranes, 2051

Lagasse, R. R.: Domain Structure and Time-Dependent Properties of a Crosslinked Urethane Elastomer, 2489
Lai, J. H.: Osmotic and Viscometric Studies of Poly(methyl Methacrylate) in Butanone, 847
Langsam, M.: Properties of Vinyl Chloride–Propylene Copolymers Prepared by Incremental Feed and Batch Feed Procedures, 1057
Leblanc, J. L.: Stress–Strain Behavior, Hardness, and Thermomechanical Properties of Butadiene–Styrene Block Copolymers as a Function of Processing Technique, 2419
Lee, C. H.: Bi-ionic Potentials in Anion Exchange Membranes, 851
Lee, G. F.: see Hartmann, B.
——: see Warfield, R. W.
Lee, K. L., Hopfenberg, H. B., and Stannett, V. T.: The Effect of Chelation on the Selective Transport of Alkaline-Earth Metal Ions in Asymmetric Cellulose Acetate Hyperfiltration Membranes, 1795
Lenk, R. S. and Kinstle, J. F.: "Bishydrazid A2": A New Semiaromatic Film and Fiber-Forming Polymer Based on Bisacid A2, 1469
——, White, J. L., and Fellers, J. F.: A Polyamide from Bisacid A2 and *p*-Phenylenediamine: Synthesis, Properties, and Fiber Formation, 1543
——: Fully Ordered Copolyhydrazides Based Upon Bisacid A2, 2297
Lerke, I. and Szymański, W.: Radiation Yield of Hydrogen Chloride in Gamma-Irradiated Poly(vinyl Chloride) Stabilized by Epoxy Compounds, 2067
Liepins, R. and Stannett, V. T.: Effect of Location of Flame Retardants in Polymers on the Oxygen Index
——, Surles, J. R., Morosoff, N., and Stannett, V. T.: Localized Radiation Grafting of Flame Retardants to Poly(ethylene Terephthalate). I. Bromine-Containing Monomers, 2529
Lin, C. C. and Hsieh, K. H.: The Kinetics of Polyesterification. I. Adipic Acid and Ethylene Glycol, 2711
Lin, F. M.: see Von Meerwall, E.
Lin, F. T.: see Von Meerwall, E.
Lindenmeyer, P. H.: see Parker, J. P.
Lindstrom, T., Söremark, C., and Westman, L.: Lignin Gels as a Medium in Gel Permeation Chromatography, 2873
Lipshitz, S. D. and Macosko, C. W.: Kinetics and Energetics of a Fast Polyurethane Cure, 2029
Lokhande, H. T. and Salvi, A. S.: Electrokinetic Properties of Polyformaldehyde Fibers, 277
——, Daruwalla, E. H., and Padhye, M. R.: *Deuteration of Cotton Fibers.* II. A Novel Method of Deuteration-Infrared Study of Cellulose in Fiber Form, 2943
Lomas, B.: see Hearle, J. W. S.
Lopata, E. S. and Riccitiello, S. R.: The Kinetics of the Trimethoxyboroxine-Induced Thermal Polymerization of Phenyl Glycidyl Ether, 91
Luner, P.: see Barnes, H. M.
Luston, J. Maňásek, Z. and Košík, M.: Terminal Properties of Higher Molecular Weight Light Stabilizers of the Benzophenone Type, 915
Lyth Hudson, F.: see Howard, G. J.

Macosko, C. W.: see Lipshitz, S. D.
Magoshi, J., Magoshi, Y., and Nakamura, S.: Physical Properties and Strucutre of Silk. IV. The Glass Transition and Conformation Changes of Tussah Silk Fibroin, 2405
Magoshi, Y.: see Magoshi J.
Mahabadi, H. K. and O'Driscoll, K. F. O.: A Gel Permeation Chromatography Calibration Method for a Broad Molecular Weight Distribution Polymer, 1283
Maňásek. Z.: see Luston, J.
Man Hong, Y.: see Hosono, M.
Manjunath, B. R.: see Venkatraman, A.
Manson, J. A.: see Yenwo, G. M.

Mantovani, E., Mazzei, M., Robertiello, A., and Zanobi, A.: Photosensitized Degradation of Polyolefins. II., 589
Marais, L., Gallot, Z., and Benoit, H.: A New Method for Correcting Axial Dispersion in GPC, 1955
Marom, G., Harel, H., and Rosner, J.: Fracture Energies of Composite Propellants, 1629
——: see Konieczny, N.
Matsunga, T.: Surface Free Energy Analysis of Polymers and Its Relation to Polymer Constitution, 2847
Matsuura, T.: see Kutowy, O.
Matsuzaki, K.: see Nakamura, S.
Mazzei, M.: see Mantovani, E.
McCrackin, F. L.: Calibration of Gel Permeation Chromatography Columns Using Polydisperse Polymer Standards, 191
—— : see Wagner, H. L.
McDonnell, M. E. and Jamieson, A. M.: The Molecular Weight Average Obtained by Combining Quasielastic Light-Scattering and Intrinsic Viscosity Measurements, 3261
McGee, H. A., Jr.: see Pusatcioglu, S. Y.
McIntyre, D.: see Ambler, M. R.
McIver, W.: see Snyder, C.
McKellar, J. F.: see Allen, N. S.
McPeters, A. L.: see Paul, D. R.
Mehrotra, R. and Rånby, B.: Graft Copolymerization Onto Starch. I. Complexes of Mn^{3+} as Initiators, 1647
—— and ——: Graft Copolymerization Onto Starch. II. Grafting of Acrylonitrile to Granular Native Potato Starch by Manganic Pyrophosphate Initiation. Effect of Reaction Conditions of Graft in Parameters, 3407
Mehta, B. S., DiBenedetto, A. T., and Kardos, J. L.: Sorption and Diffusion of Water in Glass Ribbon-Reinforced Composites, 3111
Meier, J. F., Bellott, E. M., Jr., and Frank, P. P.: Preparation and Properties of Phenolic Resin Laminates. I. Laboratory Evaluation, 1383
Meluch, W. C.: see Campbell, G. A.
Merrill, E. W.: see Peppas, N. A.
Merrill, R. G. and Roberts, C. W.: Photophysical Processes and Interactions Between Poly(ethylene Terephthalate) and 1-Amino-2-(2-methoxyethoxl)-4-hydroxy-9,10-Anthoquinone, 2745
Miltz, J.: see Narkis, M.
Minoura, Y.: see Nakano, A.
——: see Ono, K.
Mitcham, D.: see Jung, H. Z.
Miyano, Y.: see Suzuki, K.
Mizutani, Y.: see Kusomoto, K.
Montague, P. E.: see Ray, P. K.
Montulli, L. T.: see Banasiak, D. H.
Moreau, W.: see Gipstein, E.
Mori, S.: High-Speed Gel Permeation Chromatography. A Study of Operational Variables, 1921
Mori, T., Ogawa, K., and Tanaka, T.: Heterogeneous Network Polymers. IV. Dynamic Mechanical Properties—Composition—Phase Structure Relationships, 3381
Morishita, N.: see Ishigaki, I.
Morita, Y., Ishigaki, I., Watanabe, Y., Okubo, H., and Ito, A.: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. II. Properties of Copolymer Obtained by Beaker-Scale Copolymerization, 723
——: see Ishigaki, I.
——: see Motomura, H.
Morosoff, N.: see Liepins, R.
Morris, C. E. M.: Aspects of Vapor Pressure Osmometry, 435
Motomura, H. and Morita, Z.: Diffusion with Simultaneous Reaction of Reactive Dyes in Cellulose, 487
Moursi, A. Z.: see Hebeish, A.
Moustafa, A. B. and Abd-El-Hakim, A. A.: Sodium Bisulfite-Initiated Polymerization of Methyl Methacrylate in Aqueous Medium in the Presence of the Metal Oxides CuO and MnO_2, 905
Mulder, M. H. V.: see Koenhen, D. M.
Munari, S.: see Vigo, F.
Murakami, K. and Takasugi, S.: Chemorheological Studies on Polymer Degradation, 55

Nadella, H. P., Henson, H. M., Spruiell, J. E., and White, J. L.: Melt Spinning of Isotactic Polypropylene: Structure Development and Relationship to Mechanical Properties, 3003
Nagashiro, W. and Tsunoda, T.: Degradation of Polyacrylamide Molecules in Aqueous Solutions by High-Speed Stirring, 1149
Nakagawa, H.: see Suzuki, J.
Nakagawa, T.: see Uegaki, Y.
Nakahara, J. H.: see Kratzer, R. H.
Nakajima, A. and Shinoda, K.: Permeation Properties of Glycol Chitosan–Mucopolysaccharide Complex Membranes, 1249
Nakajima, N., Bowerman, H. H., Collins, E. A.: Nonlinear Viscoelastic Behavior of Butadiene–Acrylonitrile Copolymers Filled with Carbon Black, 3063
Nakamura, S., Sato, H., and Matsuzaki, K.: Graft Copolymerization of Styrene onto Poly(vinyl *p*-Nitrobenzoate) by Chain Transfer Reaction (Erratum), 585
——: see Magoshi, J.
Nakano, A. and Minoura, Y.: Degradation of Aqueous Poly(vinylpyrrolidone) Solution by High-Speed Stirring, 2877
Nanda, V. S.: see Gupta, R. N.
Narasimham, T.: see Somashekar, T. H.
Narkis, M. and Miltz, J.: Peroxide Crosslinking of Ethylene–Vinyl Acetate Copolymer, 703
——, Siegmann, A., Dagan, A. and Di Benedetto, A. T.: Precipitation from Glassy Polymer Solutions, 989
——: see Siegmann, A.
Need, O. U., III: see Gipstein, E.
Negishi, Y.: see Ohya, H.
Nelson, R. A.: The Determination of Moisture Transitions in Cellulosic Materials Using Differential Scanning Calorimetry, 645
Neuse, E. W. and Van Schalkwyk, J. D.: Cardanol Derivatives as PVC Plasticizers. II. Plasticizer Evaluation, 3023
Newton, J. C.: see Hammon, H. G.
Nielsen, L. E.: Polymeric Composite Systems with Two Continuous Phases, 1579
Niki, E.: see Shiono, T.
Nishimura, K.: see Ishigaki, I.

Nishimura, T.: see Ono, K.
North, A. M.: see Phillips, D. W.
Nozawa, Y.: see Omata, K.

O'Driscoll, K. F. O.: see Mahabadi, H. K.
Ogawa, T. and Inaba, T.: Gel Permeation Chromatography of Ethylene-Propylene Copolymerization Products, 2979
Ogawa, K.: see Mori, T.
Ohara, K.: Load and Temperature Dependence of Frictional Force and Frictional Electrification in Friction Between Polymer Films Obtained by Simultaneous Measurements, 1409
Ohshima, T.: see Kishimoto, Y.
Ohtani, N.: see Kobayashi, A.
Ohya, H., Konuma, H., and Negishi, Y.: Post-treatment Effects on Pore Size Distribution of Loeb-Sourirajan-Type Modified Cellulose Acetate Ultrathin Membranes, 2515
Okada, T.: see Takezaki, J.
Okamoto, H.: see Ono, K.
Okaya, T.: see Sakota, K.
——: see Sato, T.
Okubo, H.: see Morita, Y.
Olabisi, O. and Simha, R.: A Semiempirical Equation of State for Polymer Melts, 149
Olf, H. G.: see Yasuda, H.
Omata, K., Nozawa, Y., and Higashide, F.: Drug Release from Cellulose Acetate Phthalate Gel, 2009
Ong, K. L.: see Gan, L. M.
Onishi, H.: see Inagaki, N.
Ono, K., Shimada, H., Nishimura, T., Yamashita, S., Okamoto, H., and Minoura, Y.: Effects of Number-Average Molecular Weight of Liquid Hydroxyl-Terminated Polybutadiene on Physical Properties of the Elastomer, 3223
Oono, R.: Distribution of Carbon Black in SBR, 1743
Otterstedt, J.-E. A.: Water Vapor Permeability in Layered Polymer Films, 573
——: Flex-Resistant Permeable PVC & Films, 1971
Ouano, A. C.: see Chu, W. H.
Ouchi, I., Hosoi, M., and Shimotsuma, S.: Infrared Spectra of Poly(ethylene, 2,6-Naphthalate) and Some Related Polyesters, 3445
Ozari, Y., Tanny, G., and Jagur-Grodzinski, J.: Dynamic Deposition of Polyacids on Porous Membrane Supports, 555

Paciorek, K. L.: see Kratzer, R. H.
Padhye, R.: see Venkatraman, A.
Padhye, M. R.: see Lockhande, H. T.
Paipetis, S. A.: see Paranicolaou, G. C.
Papanicolaou, G. C., Paipetis, S. A., and Theocaris, P. S.: Thermal Properties of Metal-Filled Epoxies, 689
Pappalardo, L. T.: DSC Evaluation of Epoxy and Polyimide-Impregnated Laminates (Prepregs), 809
Paralikar, K. M. and Betrabet, S. M.: Electron Diffraction Technique for the Determination of Cellulose Crystallinity, 899
Parker, J. P. and Lindenmeyer, P. H.: On the Crystal Structure of Nylon 6, 821
Paul, D. F. and Gumbs, R. W.: Solar Energy Collector Coatings from Cyclopolymers of Butadiene and Acrylonitrile, 959
Paul, D. R. and McPeters, A. L.: Effect of Spin Orientation on Drawing of Wet-Spun Fibers, 1699
——: see Koros, W. J.
Pavlov, P., Dimov, K., and Simeonov, N.: Grafting of Cellulose Copolymers with Water-Insoluble Monomers with Redox System Cellulose Xanthogenate–Hydrogen Peroxide, 291
Pearson, D. S.: see Böhm, G. G. A.
Peppas, N. A. and Merrill, E. W.: Crosslinked Poly(vinyl Alcohol) Hydrogels as Swollen Elastic Networks, 1763
Peric, D., Bell, A. T., and Shen, M.: Reverse Osmosis Characteristics of Composite Membranes Prepared by Plasma Polymerization of Allylamine. Effects of Deposition Conditions, 2661
Perrault, G. and Duchesne, G.: Evaluation of Surface-Active Agents by Mechanical Properties of Highly Filled Composites, 3153
Pethrick, R. A.: see Gilbert, A. S.
——: see Phillips, D. W.
Petit, M. A. and Jozefonvicz, J.: Synthesis of Copper (II) Complexes of Asymmetric Resins Prepared by Attachment of α-Amino Acids to Crosslinked Polystyrene, 2589
Peyser, P. and Bascom, W. D.: Kinetics of Epoxy Resin Polymerization Using Differential Scanning Calorimetry, 2359
Phillips, D. W., North, A. M., and Pethrick, R. A.: Ultrasonic Studies of Polycarbonate, Polysulfone, and Polyether Sulfone, 1859
——: see Gilbert, A. S.
Piatrik, M.: see Williams, J. L.
Picot, C.: see Guenet, J. M.
Plăcek, J.: see Szöcs, F.
Plazek, D. J.: see Agarwal, P. K.
Podkówka, J.: see Izydorczyk, J.
Poindexter, E. H.: see Helbert, J. N.
Prausnitz, J. M.: see Renuncio, J. A. R.
Prochaska, K. and Wypych, J.: Basic Principals of Thermal Degradation and Thermal Stabilization of Poly(vinyl Chloride). Mathematical Model of the Action of PVC Thermal Stabilizers, 2113
Prud'Homme, R. E.: Mechanical Properties of Polymer–Paper Laminates, 947
Pulido, J.: see Yenwo, G. M.
Pusatcioglu, S. Y., McGee, H. A., Jr., Fricke, A. L., and Hassler, J. C.: Thermal Stability and Molecular Weight of Two New Boron–Nitrogen Polymers, 1561

Rabek, J. F., Canbäck, G., and Rånby, B.: Studies on the Photo-oxidation Mechanisms of Polymers. VI. The Role of Commercial Thrmostabilizers in the Photostability of Poly(vinyl Chloride), 2211
Rånby, B.: see Mehrotra, R.
——: see Rabek, J. F.
——: see Svanson, S. E.
Ranganath, R.: see Barlow, A.
——: see Wild, L.
Ravey, M.: The Mechanism of Scale Formation in PVC Reactors, 839
——: see Waterman, J. A.
Ray, P. K. and Montague, P. E.: Crystallinity in Jute Fiber as Revealed by Multipeak Resolution, 1267

Reffner, J. A.: see Bell, J. P.
Renuncio, J. A. R. and Prausnitz, J. M.: Volumetric Properties of Block and Random Copolymers of Butadiene and Styrene at Pressure to 1 Kilobar, 2867
Reynard, K. A.: see Thompson, J. E.
——: see Vicic, J. C.
Rhee, C.-K., Ferry, J. D., and Fetters, L. J.: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. II. Dependence on Molecular Length of Penetrant, 783
—— and ——: Diffusion of Radioactively Tagged Penetrants Through Random and Block Styrene–Butadiene Copolymers and Filled *cis*-Polybutadiene, 467
—— and ——: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. I. Penetrants with Very Low Solubility, 773
—— and ——: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. Penetrants with Very Low Stability (Erratum), 1729
——, ——, and Fetters, L. J.: Diffusion of Radioactively Tagged Pentrants Through Rubbery Polymers. Dependence on Molecular Length of Penetrant (Erratum), 1729
Riccitiello, S. R.: see Lopata, E. S.
Rigdahl, M.: see Djurner, K.
Rizzo, G.: see Titomanlio, G.
Robert, K. Q.: see Cabasso, I.
Robertiello, A.: see see Mantovani, E.
Roberts, C. W.: see Merrill, R. G.
Roche, E.: see Singleton, C. J.
Rollmann, K. W.: see Kraus, G.
Roman, J. F.: see White, J. L.
Rosner, J.: see Marom, G.
Rubin, L. E.: see DeMember, J. R.
Russell, C. R.: see Fanta, G. F.
——: see Stout, E. I.
——: see Trimnell, D.
Russell, K. E.: see Husband, S.

Sacher, R. E.: see George, G. A.
Saegusa, T., Kobayashi, S. and Yamada, A.: Preparation of Crosslinked Poly(styrene-*g*-N-carboxyalkylated Ethylenimine) as Chelating Resin, 2481
Sagan, S.: see Yamashita, S.
Sakota, K. and Okaya, T.: Method for the Determination of Surface Basic Groups in Cationic Polystyrene Latexes, 1009
—— and ——: The Distribution of Soap in the Polymerization System for Preparation of Carboxylated Polystyrene Latexes, 1017
—— and ——: Electrolyte Stability of Carboxylated Latexes Prepared by Several Polymerization Processes, 1025
—— and ——: Polymerization Behavior and Distribution of Carboxyl Groups in Preparation of Soap-Free Carboxylated Polystyrene Latexes, 1035
——: see Sato, T.
Sakurada, I.: see Takezaki, J.
Salazar, E. A., Curro, J. G., and Gillen, K. T.: Physical and Chemical Stress Relaxation of a Fluoroelastomer, 1597
Salwiński, J.: see Izydorczyk, J.
Sato, T., Sakota, K., Egami, M., Shirano, K. and Okaya, T.: Oxidation Behavior of Isoprene Polymers and Butadiene Polymers, 981
Sato, H.: see Nakamura, S.
Sayigh, A. A. R.: see Alberino, L. M.
Schätz, M.: see Vondráček, P.
Shalaby, S. E.: see Abdel-Fattah, S. H.
Sharma, V. N. and Daruwalla, E. H.: Thermal Behavior of Cotton Grafted with Vinyl Monomers Individually and in Mixture Compositions, 331
Sharma, K. K.: see Varma, I. K.
Sheffer, H.: see Snyder, C.
Shen, M.: see Peric, D.
Shenai, V. A. and Wadhwa, L. H.: Studies in Chemically Modified Celluloses. X. Affinities of Direct Dyes for Chemically Modified Celluloses, 1585
Shih, C. K. and Cluff, E. F.: Crystalline Characteristics of Ethylene/Propylene/1,4-Hexadiene Terpolymers and Related Ethylene Copolymers, 2885
Shimada, H.: see Ono, K.
Shimotsuma, S.: see Ouchi, I.
Shinoda, K.: see Nakajima, A.
Shinouda, H. G. and Hanna, A. A.: Dielectric and Infrared Study of Some Cellulose Derivatives, 1479
Shinozaki, D. M., Woo, K., Vlachopoulos, J., and Hamielec, A.: Influence of Processing Parameters and Molecular Weight on the Mechanical Properties of PVC, 3345
Shiono, T., Niki, E., and Kamiya, Y.: Oxidative Degradation of Polymers. II. Thermal Oxidative Degradation of Atactic Polypropylene in Solution Under Pressure, 1635
Shirano, K.: see Sato, T.
Shorr, L. M.: see Waterman, J. A.
Shultz, A. R. and Beach, B. M.: Thermo-optical Analysis of Poly(2,6-dimethyl-1,4-phenylene Oxide)/Triblock Styrene–Butadiene–Styrene Copolymer Blends, 2305
Schultz, J. and Westbrook, N. J.: Rupture Mechanisms of Elastomer–Metal Adhesive Systems, 2097
Shur, Y. J.: see Svanson, S. E.
—— : see Bergman, G.
Siegmann, A. and Narkis, M.: Thermal Analysis of Thermosetting Phenolic Compounds for Injection Molding, 2311
——: see Narkis, M.
Simeonov, N.: see Pavlov, P.
Simha, R.: see Olabisi, O.
Šimunková, E., Zelinger, J., Kubánek, V., and Králíček, J.: The Structure and Physical Properties of Copolymers of Lactams, 65
Singleton, C. J., Roche, E., and Geil, P. H.: Environmental Stress Cracking of Polyethylene, 2319
Skaar, C.: see Barnes, H. M.
Slagowski, E. L., Gebauer, R. C., and Gaesser, G. J.: The Gel Permeation Chromatography of Poly(tetramethylene Terephthalate), 2293
——: see Chang, E. P.
Smith, J. K.: see Cabasso, I.
Smolders, C. A.: see Van Der Velden, P. M.
——: see Froehling, P. E.
——: see Koenhen, D. M.
Šňupárek, J., Jr. and Krška, F.: Semicontinuous Emulsion Copolymerization of Acrylonitrile, Butyl Acrylate, and Styrene, 2253

Snyder, C., McIver, W., and Sheffer, H.: Cationic Polymerization of β-Pinene and Styrene, 131
Soh, G. B.: see Gan, L. M.
Somashekar, T. H., Narasimham, T., Kulshreshtha, A. K., and Dweltz, N. E.: Analysis of Cotton Fiber Maturity. III. A Study of Breaking Load Distribution of Single Fibers, 1519
——, Kulshreshtha, A. K., Narasimham, T., and Dweltz, N. E.: Effect of Slack Mercerization and Tension Mercerization on the Breaking Load Distribution of Cotton Fibers, 3417
Son, P. N. and Krueger, R. A.: *N*-(Morpholonothio)imides as Curing Agents in Semiefficient Vulcanization Systems, 1731
Soremark, C.: see Lindstrom, T.
Sörvik, E. M.: The NORDFORSK PVC Polymer Characterization Project, 2769
Sourirajan, S.: see Kutowy, O.
Sperling, L. H.: see Donatelli, A. A.
——: see Yenwo, G. M.
——: see Yomoda, S.
Sprouse, J. F.: see George, G. A.
Spruiell, J. E.: see Bankar, V. G.
——: see Hancock, T. A.
——: see Nadella, H. P.
Stacy, C. J.: Determination of Compositional Heterogeneity in Butadiene–Styrene Copolymers by Density Gradient Ultracentrifugation, 2231
Stadnicki, S. J.: see Gillham, J. K.
Stannett, V.: see Williams, J. L.
——: see Koros, W. J.
Stannett, V. T.: see Liepins, R.
——: see Lee, K. L.
Still, R. H. and Whitehead, A.: Thermal Degradation of Polymers. XV. Vacuum Pyrolysis Studies on Poly(*p*-methoxystyrene) and Poly(*p*-hydroxystyrene), 1199
—— and ——: Thermal Degradation of Polymers. XVI. Thermal Analysis Studies on Poly(*p*-methoxystyrene) and Poly(*p*-hydroxystyrene) in Air and Nitrogen, 1215
——: see Ghafoor, A.
Stoklosa, H. J.: see Yau, W. W.
Stone, J. A.: see Husband, S.
Stout, E. I., Trimnell, D., Doane, W. M., and Russell, C. R.: Graft Copolymers of Starch–Polyacrylonitrile Prepared by Ferrous Ion–Hydrogen Peroxide Initiation, 2565
——: see Trimnell, D.
Stringham, R. S.: see Toy, M. S.
Subramanian, D. R.: see Venkatraman, A.
Sugii, S.: see Hosono, M.
Sumi, K.: see Tsuchiya, Y.
Sundardi, Fl.: see Kartowardoyo, S.
Surles, J. R.: see Liepins, R.
Suzuki, J., Nakagawa, H., and Ito, H.: Study On Ozone Treatment of Water-Soluble Polymers. II. Utilization of Ozonized Polyethylene Glycol by Bacteria (Erratum), 587
Suzuki, K., Miyano, Y., and Kunio, T.: Change of Viscoelastic Properties of Epoxy Resin in the Curing Process, 3367
Svanson, S. E., Elmqvist, C., Shur, Y. J. and Rånby, B.: Phase Relations in Poly(vinyl Chloride)/Ethylene-Vinyl Acetate Copolymer Blends with Low Contents of the EVA Polymer, 943
Sykes, G. F. and Young, P. R.: The Effluent Analysis of Several Pyrrone and Polyimide Precursors During Cyclization, 2393
Szöcs, F., Plaček, J., and Kotlárik, B.: Correlation of Molecular Motion and Free-Radical Decay in Irradiated PMMA, 859
Szymański, W.: see Lerke, I.

Takada, K.: see Ishigaki, I.
Takahashi, F.: see Kamiya, Y.
Takamatsu, T.: see Kato, Y.
Takasugi, S.: see Murakami, K.
Takemori, M. T.: see Yee, A. F.
Takezaki, J., Okada, T., and Sakurada, I.: Radiation-Induced Polymerization of Styrene at High Dose Rates, 2683
Tanaka, T.: see Mori, T.
Taniguchi, Y.: see Horigome, S.
Tanny, G.: see Ozari, Y.
Taylor, L. D.: see DeMember, J. R.
Taylor, L. J. and Tobias, J. W.: Accelerated Photo-Oxidation of Polyethylene. I. Screening of Degradation-Sensitizing Additives, 1273
Taylor, N. W. and Bagley, E. B.: Tailoring Closely Packed Gel–Particle Systems for Use as Thickening Agents, 113
—— and ——: Rheology of a Cellulose Graft Copolymer. Comparison with Other Closely Packed Gel Thickeners, 1607
Terrell, D. R. and Katiofsky, H.: Melt Viscosity Characteristics of Methacrylate–Styrene Copolymers, 1311
Tesoro, G. C.: Flame-Resistant Polyester/Cotton Fabrics, 1073
Theocaris, P. S.: see Paranicolaou, G. C.
Thomas, D. A.: see Donatelli, A. A.
Thompson, J. E. and Reynard, K. A.: Poly(aryloxyphosphazenes) and a Flame Retardant Foam, 2575
Ting, R. Y. and Hunston, D. L.: Some Limitations on the Detection of High Elongational Stress Effects in Dilute Polymer Solutions, 1825
Titomanlio, G. and Rizzo, G.: Master Curves of Viscoelastic Behavior in the Plastic Region of a Solid Polymer, 2933
Tobias, J. W.: see Taylor, L. J.
Toi, K., Kikuchi, M., and Tokuda, T.: Melting and Glass Transition of Radiation-Induced Graft Polyethylene, 535
Tokuda, T.: see Toi, K.
Toy, M. S. and Stringham, R. S.: Photoaddition of Fluoroolefins on Aromatic Polyamide, 2583
Treybig, M. N.: see Ahmad, A.
Trimnell, D., Stout, E. I., Doane, W. M., and Russell, C. R.: Graft Copolymers from Thiolated Starch and Vinyl Monomers, 655
——: see Stout, E. I.
Trummer, S.: see DeMember, J. R.
Tsuchiya, Y. and Sumi, K.: Thermal Decomposition Products of Polyacrylonitrile, 975
Tsuji, W.: see Hosono, M.
Tsunoda, T.: see Nagashiro, W.

Uegaki, Y. and Nakagawa, T.: Thermal Dehydrochlorination of Poly(vinyl

Chloride). I. Effect of Iron on the Rate of Dehydrochlorination, 965
Ueki, N.: see Iida, T.
Umeki, Y.: see Kohama, S.

Vajnaht, Z.: see Kunst, B.
Valade, J. L.: see Hornof, V.
Valko, E. I.: see Ibe, E. C.
Van Der Velden, P. M. and Smolders, C. A.: New Cation-Exchange Membranes for Hyperfiltration Processes, 1445
Van Schalkwyk, J. D.: see Nuese, E. W.
Varma, I. K., Sharma, K. K., and Varma, D. S.: Irradiation of Poly(vinyl Alcohol) Fibers in the Presence of Chloroform and Carbon Tetrachloride, 2913
Varma, D. S.: see Varma, I. K.
Vaughan, M. F. and Francis, M. A.: Preparative Gel Permeation Chromatography. I. Polypropylene, 2409
Venkatraman, A., Subramanian, D. R., Manjunath, B. R., and Padhye, R.: The Effect of Multiple Swelling Treatment with Ethylenediamine on Cotton Cellulose, 1621
Vicic, J. C. and Reynard, K. A.: Poly(fluoroalkoxyphosphazenes)—Versatile Seal Materials, 3185
Vigo, F., Bottino, A., Munari, S., and Capannelli, G.: Preparation of Asymmetric PTFE Membranes and Their Application in Water Purification by Hyperfiltration, 3269
Villamizar, C. A.: see Han, C. D.
Vlachopoulos, J. and Chan, T. W.: A Comparison of Melt-Fracture Initiation Conditions in Capillaries and Slits, 1177
——: see Shinozaki, D. M.
Von Meerwall, E., Creel, R. B., Griffin, C. F., DiCato, E., Lin, F. T., and Lin, F. M.: Measurement of Crystallization in Stretched Rubber by Rapid-Passage NMR, 1489
Vondráček, P. and Schätz, M.: Bound Rubber and "Crepe Hardening" in Silicone Rubber, 3211
Vrentas, J. S. and Duda, J. L.: Solvent and Temperature Effects on Diffusion in Polymer–Solvent Systems, 1715

Wadhwa, L. H.: see Shenai, V. A.
Wagner, E. R.: see Joesten, B. L.
Wagner, H. L. and McCrackin, F. L.: Branching and Molecular Weight Distribution of Polyethylene SRM 1476, 2833
Wan, J. K. S.: see Husband, S.
Ward, T. L. and Benerito, R. R.: Grafting of Cyclic Carbonates onto Cotton and Modified Cottons, 1933
Warfield, R. W. and Lee, G. F.: Transitions in Phenolic Polymer, 123
Warwicker, J. O. and Graham, S. G.: The Structural Causes of the Dyeing Variation of Terylene Subjected to the False-Twist Texturing Process, 1137
Watanabe, Y.: see Morita, Y.
——: see Ishigaki, I.
Waterman, J. A., Shorr, L. M., Ravey, M., and Kramer, M.: Molecular Weight Enhancement of Vinyl Chloride–Propylene Copolymers, 1615
Wegner, G.: see Enkelmann, V.
Weinberg, A.: see Konieczny, N.
West, J.: see Howard, G. J.
Westbrook, N. J.: see Schultz, J.
Westman, L.: see Lindstrom, T.
White, J. L. and Roman, J. F.: Extrudate Swell During the Melt Spinning of Fibers—Influence of Rheological Properties and Take-up Forces (Erratum), 869
—— and Kondo, A.: Ends Pressure Losses in Extrusion of Polymer Melts Through Dies, 2289
——: see Bankar, V. G.
——: see Hancock, T. A.
——: see Lenk, R. S.
——: see Nadella, H. P.
Whitehead, A.: see Still, R. H.
Wild, L., Ranganath, R., and Barlow, A.: Gel Permeation Chromatography of Polyethylene. II. Rapid Evaluation of Long-Chain Branching and Molecular Weight Distribution, 3331
——: see Barlow, A.
Wiles, D. M.: see Carlsson, D. J.
Williams, J. L., Piatrik, M., Choi, S.-K., and Stannett, V.: Postdecrystallization Rates of Grafted Fibers and Their Effect on Fiber Elasticity. I. Effect of Zinc Chloride Concentration, 1377
Wilson, A.: see Granzow, A.
Windle, J. J. and Freedman, B.: Electron Spin Resonance Studies on Photodegradable Polymers, 2225
Woo, K.: see Shinozaki, D. M.
Wood, D. G. M.: see Allen, N. S.
Wróbel, A. M.: see Gazicki, M.
Wydeven, T.: see Hollahan, J. R.
Wypych, J.: see Prochaska, K.

Yamada, A.: see Saegusa, T.
Yamakita, H.: see Hayakawa, K.
Yamashita, S., Kawabata, N., Sagan, S., and Hayashi, K.: Reclamation of Vulcanized Rubbers by Chemical Degradation. V. Degradation of Vulcanized Synthetic Isoprene Rubber by the Phenylhydrazine–Ferrous Chloride System, 2201
——: see Ono, K.
Yano, S.: Thermomechanical Behavior of Poly(vinyl Chloride) in the Process of Degradation, 2645
Yasuda, H. and Hirotsu, T.: The Effect of Glass Transition on Gas Permeabilities, 105
—— and ——: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. VIII. Dependence of Plasma Polymerization of Acrylonitrile on Glow Characteristic, 3139
—— and ——: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. IX. Flow-Rate Dependence of Properties of Plasma Polymers of Acetylene and Acrylonitrile, 3167
——, ——, and Olf, H. G.: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. X. Internal Stress in Plasma Polymers, 3179
Yau, W. W., Stoklosa, H. J., and Bly, D. D.: Calibration and Molecular Weight Calculations in GPC Using a New Practical Method for Dispersion Correction—GPCV2, 1911
Yee, A. F. and Takemori, M. T.: An Improved Technique for the Measurement of Dynamic

Mechanical Properties of Viscoelastic Materials, 2597
Yenwo, G. M., Manson, J. A., Pulido, J., Sperling, L. H., Conde, A., and Devia, N.: Castor-Oil-Based Interpenetrating Polymer Networks: Synthesis and Characterization, 1531
Yeo, S. C. and Eisenberg, A.: Physical Properties and Supermolecular Structure of Perfluorinated Iron-Containing (Nafion) Polymers, 875
Yokooji, M.: see Ishigaki, I.
Yomoda, S. and Sperling, L. H.: Viscoelastic Behavior of Partly Decrosslinked Polymer Networks. I. Acrylic Acid Anhydride-Crosslinked Poly(ethyl Acrylate), 2609
Young, P. R.: see Sykes, G. F.
Yow, H.: see Broido, A.

Zahir, S. A.: see Batzer, H.
Zanobi, A.: see Mantovani, E.
Zelinger, J.: see Šimunková, E.
Zochniak, A.: Products of Polyaddition of Toluene 2,4-Dicarbonimide with Triethylene Glycol Glycolate, Thioglycolate, Lactate, and *p*-Hydroxybenzoate, 1869
Zoller, P.: The Specific Volume of Poly(4-methylpentene-1) as a Function of Temperature (30°–320°C) and Pressure (0–2000 kg/cm^2), 3129

SUBJECT INDEX TO VOLUME 21

Absorption and emission spectra, poly (ether) sulfone, 1130
Absorption isotherm, crosslinked cellophane, 382
Acetylene-acrylonitrile, plasma polymers, 3139, 3167, 3179
Acetylene-butadine co-polymers, curing, 597, 599
——, chemical modification, 598
——, epoxidation, 598, 605
——, metallation, 598, 603, 604
——, polymer coating, 597
Acrylamide, polymerization, 763
——, spin orientation, 1709
——, stress-strain curve, 1701
——, wet-spinning analogy, 1702
Acrylic rubber, electron micrograph, 1574
——, electron microscopy, 1569
——, infrared spectra, 1572
Acrylonitrile, cyclopolymers, 960
Activation energy, gas diffusion, 109
——, gas permeation, 109
Adhesion, effect of heat, 528
——, effect of ozone, 530
——, effect of UV, 530
——, strength measurements, 1097
——, testing, 527
Adhesive, rupture, 2104
——, rupture mechanism, 2097
Aliphatic polyamides, wet spinning, 1227
Aliphatic polyester, infrared spectra, 1168
——, thermal degradation, 1167
Alluminium-epoxy composites, glass transition, 699
——, photomicrograph, 695
——, thermal-expansion co-efficient, 694
Amylose acetate, water-vapor sorption, 1085
Anionic membranes, biionic potential, 851
——, macromolecular, 3531
Anylose graft polymers, 762
Aprotic swelling, characteristics, 456
——, wool, 455
Aramid fibers, fracture morphology, 2796
——, para oriented, 2791
——, tensile tests, 2795
——, x-ray diffraction, 2794
Aromatic polyamides, wet spinning, 1227
Arrhenius plot, polymerization kinetics, 96
——, stress relaxation, 58, 60
Asymmetric membrane crystallization, 207
——, liquid-liquid phase separation, 205
——, morphology and kinetics, 208
——, preparation, 204
——, scanning electron microscopy, 205
Atmospheric pollutants, effect on adhesion, 525
Auger electron spectroscopy, adhesive joints, 2375
Axial deflection, rubber, 1461

Benzophenone, light stabilizer, 915
——, thermal properties, 995
Benzoyl peroxide, polymerization of 4-vinylpyridine, 17
Benzyl, vapor-phase chromatography, 437
Biacids, polyamides monomer, 1543
N-N′-Bis[cyclohexythio]oxanilide, curing agent, 1731
Bisdihydrazide, infrared spectra, 1472
——, NMR, 1473
——, preparation, 1470
Bisglycidyl ether, crosslinking agent, 1783
Bishydrazid, polymer characterization, 1474
——, polymer formation, 1473
——, wet spun fiber, 1476
——, tensile strength, 1477
2,2Bis(*p*-hydroxyphenyl)-1,1,1-trichloro-ethane, curing agent, 1783
N,N′-Bis(4-morpholinothio)hydantoin, curing agent, 1731
1,3-Bis(4-morpholinothio),2-imidazolidinone, curing agent, 1731
N,N′-Bis(4-morpholinothio)oxanilide, curing agent, 1731
——, synthesis, 1734
Bis-phenol-A, epoxy resins, 1843
Block copolymers, adsorption, 50
——, characterization, 45
——, co-flucculation, 48
——, drainage, 52
——, polystyrene sulfonic acid and polyacrylic acid, 556
——, reduced viscosity, 47
——, synthesis, 45
Brabender plastograph experiment, copolymers, 705
Branching parameters, polymers, 1656
Bread-spring theory, extensional flow, 1431
——, model, 1424
——, polymer solutions, 1421
——, transient stress phenomena, 1431
Breaking-load distribution, cellulose fibers, 1519
——, cotton fibers, 3409
Bromostyrene, crosslinking agent, 1801
Butadine, cyclopolymers, 960
——, polymerization recipe, 982
Butadine-acrylonitrile copolymers, viscoelastic behavior, 3063
Butadine-styrene copolymers, composition, 2231
——, preparation, 2867
——, stress-strain behavior, 2419
——, thermal analysis, 2433
——, ultracentrifugation, 2231
——, viscoelastic behavior, 3063
Butene-1 and sulfur dioxide, copolymer synthesis, 1160
Butene nitrile, polymerization, 925
Butyl rubber, valcanization, 1771

Calibration method, GPC column, 192, 193
Carbonyl absorption, function of irradiation, 590
Cardanol derivatives, PVC plasticizer, 3023
Cashimilon (acrylic) fibers, vapor-phase grafting, 608
Cationic polymerization, B-pirene and styrene, 131
Cellobiosee, NMR C-13, 624

Cellulose, acetylated, 2193
——, carboxymethylated, 2195
——, chemically modified, 2191
——, crystallinity, 899, 2559
——, cyanoethylated, 2197
——, dyeing properties, 2191
——, electron diffraction, 899, 3525
——, grafted with aerylonitrile, 2197
——, infrared spectra, 2943
——, separator for batteries, 2551
——, x-ray diffraction, 2553
Cellulose acetate, film characteristics, 2054
——, ion movement in membranes, 343
——, membrane preparation, 347, 2508
——, reverse osmosis, 2051, 2512
——, structure in solution, 2502
——, viscosity, 2507
——, water-vapor sorption, 1085
Cellulose acetate urethane membrane, pore size, 2515
Cellulose co-polymer, grafting, 291
Cellulosic materials, acylation, 2088
——, decrystallization, 2085
——, x-ray diffraction, 2087
Cellulose xanthogenate, properties, 291
Chemical stress relaxation, rubber in air, 56
——, rubber in nitrogen, 56
Chemorheological studies, polymers, 55
Cholesterol, vapor-phase osmometry, 437
Chlolesteryl caproate, vapor-phase osmometry, 437
Chlolesteryl stearate, vapor-phase osmometry, 437
Coflocculation, block and graft polymers, 48
——, polyacrylamide, 7, 35
Cohesive energy density, polyester, 251, 268
Collagen-poly(butylautate) copolymers, characterization, 3511
Compressibility, phenolic polymers, 125
Condensation, adipic acid and ethylene glycol, 2711
——, kinetics, 2711
Conductometric titration, cationic polystyrene, 1014
——, ethylene diamine, 1011
Conformational analysis, polyester, 259
Conformational changes, polyelectrolytes, 1363
Contact angle, nylon, 2849
——, vinyl polymers, 2849
Copolymers, acetylene-butadine, 597
——, acrylamide-acrylonitrile, 46
——, caprolactam-caprylolactam, 65
——, caprolactam-laurolactam, 65
——, composition by IR, 85
——, ethylene oxide-acrylonitrile, 46
——, ethylene oxide-2-vinylpyridine, 46
——, molecular weight distribution, 83
——, *b*-pirene-styrene, 131
——, precepitation fractionation, 84
——, quinoxaline-phenylquinoxaline, 2157
——, styrene-isoprene, 204
Copolymer blends phase relations, 943
——, thermo-optical transition, 2307
Copolyhydrazides, ordered, 2297
Copolymerization, butadine and styrene, 2867
——, mechanism, 2275
——, solid state, 711
——, tetraoxane and 1,3-dioxane, 711
Cotton, degradation, 2943
——, grafting with vinyl monomers, 331
Cotton fibers, breaking-load distribution, 3409
——, mercerization, 3409
Crack propogation, viscoelastic, 2661
Critical micelle concentration, polymerization systems, 1018
Crosslinked cellulose, absorption of dyes, 371
——, degree of crosslinking, 373
——, diffusivity of dyes, 385, 389
——, free energy of dying, 380
——, rate of dying, 385, 389
Crystallinity, cellulose, 899
——, electron diffraction, 899
——, jute fiber, 1267
——, terpolymers, 2885
Crystallization, isothermal, 941
——, polypropylene, 939
——, rate of spherulite growth, 939
Cyclopolymers, a crylonitrile, 959
——, butadines, 959
——, optical properties, 961
——, preparation, 960

Decrystallization, cellulosic materials, 2085
Degradation, acrylate polymers, 797
——, analysis of nitriles, 978
——, cotton fibers, 2943
——, Nylon-6,6, 1104
——, perfluorinated polymers, 885
——, polyacrylonitrile, 975, 979, 1149
——, polyester, 611
——, polyethylene, 590
——, polyolefines, 589
——, poly(vinyl chloride), 2645
——, poly(vinylpyrolidone), 2077
Dehydrochlorination: kinetics, 967
—— poly(vinyl chloride), 965
Dielectric loss: natural rubber, 1156
Differential scanning calorimetry (DSC) cellulosic materials, 645
——, copolymers, 730, 756
——, copolymers of lactones, 297
——, epoxy laminates, 809
——, polyethylene, 297
——, polyhydrazides, 2300
——, poly(*p*-hydroxystyrene), 1105
——, polyimides, 809
——, poly(*p*-methoxystyrene), 1220
——, polystyrene, 1220
Differential thermal analysis, grafted cotton, 332
Differential thermo-gravimeton analysis, grafted cotton, 332
Diffusion, activation energy, 396
——, gel model, 397
——, measurement methods, 775
——, molecular length dependence, 783
——, pore model, 397
——, radioactive penetrants, 773
——, rubbery polymers, 773
——, theoretical, 776
Diffusion co-efficient, drug in crosslinked cellulose, 395
——, ethylene-propylene co-polymers, 785
——, measurement, 493
——, natural rubber, 785
——, polybutadine, 785
——, poly(dimethylsiloxane), 785
Diffusion of dyes, cellulose, 487
——, profiles, 490
2,4-dihydroxybenzophenone, diffusion in polymers, 3503
Distribution of carboxylic groups, polymers, 1040
Distribution of soap, polymerization systems, 1017, 1022

Drainage time, block and graft copolymers, 52
——, polyacrylamide sheet, 12, 41
——, poly(vinylpyridines), 24
Dynamic mechanical properties, epoxy resins, 1261
——, phenolic polymers, 792
——, polymer blends, 795
——, polymer networks, 3373
——, poly(phenylene oxide), 794
——, polystyrene, 793
——, poly(vinyl chloride), 794
——, styrene-butadine copolymers, 3307
——, viscoelastic materials, 2597
Dynamic modulus, copolymers of Lactams, 67
——, styrene-dienes copolymers, 3307

Elastic networks, crosslinked poly(vinyl chloride), 1763
Elastic plastic adherend, peal mechanism, 2817
Elastomers, characteristics, 2099
——, rupture mechanisms, 2097
Electrical resistance, membranes, 346
Electrokinetic properties, polyformaldehyde fiber, 277
Electrolight stability, carboxylated latex, 1025
——, determination methods, 1029
Electron diffraction, acrylic rubber, 1569
——, cellulose, 899, 3525
Electron sensitive resists, high polymers, 3519
Electron-spin resonance spectroscopy, photo-degradation, 2225
——, polyethylene, 591
Elongational viscosity, accelerating flow, 1828
——, deaccelerating flow, 1831
——, model, 1826
——, polymer systems, 515
——, polystyrene, 516
Emulsion polymerization, Rayleigh spectroscopy, 1822
——, semi-continuous, 2253
——, vinyl monomers, 2253
Entanglement parameters, polymers, 1332
Enthalpy of melting, cotton, 647
——, paper, 649
——, wood pulp, 648
Epoxy compounds, stabilization of PVC, 2067
Epoxy resins, activation energy of curing, 817
——, auger electron spectroscopy, 2383
——, curing process, 3361
——, curing rate constants, 817
——, DSC, 2359
——, dynamic mechanical properties, 1261
——, modulus, 1259
——, molecular weight distribution, 1843
——, photo-oxidation, 2244
——, polymerization kinetics, 1851, 2359
——, specific volume, 1264
Epoxy resins, stress-strain test, 1260
——, TG analysis, 1097
——, thermochemical properties, 814
——, thermogram, 815
——, tortional braid analysis, 1343
——, tortional pendulum properties, 1344
Equation of state, polymer melts, 149
Equilibrium of dying, crosslinked cellulose, 371
Ethylene oxide, block copolymers, 46
Ethylene-propylene copolymers, GPC, 2979
Ethylene hydroxyethyl cellulose, acrylamide graft copolymers, 46

Fiber elasticity, post-decrystallization, 1377
Filler structure, reinforced valcanizates, 141
Fire retardent, chemical structure, 2169
——, high-impact polystyrene, 2167
Flamability, styrene-butadine rubber, 2077
Flame resistant, polyester-cotton fiber, 1073
Flame retardancy, poly(ethylene terethalate), 217
Flame retardant, aldehydes, 3087
——, foam, 2575
——, grafting on poly(ethylene terephthalate), 252
——, phosphorus containing compounds, 1083
Flex resistant, poly(vinyl chloride) film, 1971
Flexural properties, polypropylene, 2283
Flocculation, block and graft copolymers, 48
——, fiber, 6
——, pigment, 7
——, polyacrylamide, 9, 30
——, poly(vinyl pyridine), 18
Fracture, morphology, 1106
——, nylon 66, 1106
Fracture morphology, aramid fibers, 2791
Fraunhozer diffraction, styrene-butadine rubber, 1746
Free energy, domain formation, 1193
——, elastic, 1191
——, surface, 1193
Free volume, parameters, 1724
Frictional electrification, polymer films, 1409
Frictional force, load and temperature dependence, 1409

Gas permeability, glan transition, 105
——, temperature dependence, 106
Gel permeation chromatography, amysol graft polymers, 768
——, axial dispersion, 1959
——, calibration, 191, 1283, 1662, 2440, 3315
——, copolymers, 83, 732, 753
——, dispersion effects, 501
——, efficiency of fractionation, 508
Gel permeation chromatography, ethylene-propylene copolymers, 297
——, flow rate, 1923
——, high speed, 1921
——, molecular weight, 503, 577, 1911, 192, 3327
——, multicolumns, 2440
——, operational variables, 1922
——, polybutadine, 787
——, polyethylene, 3315, 3327
——, poly(methyl methacrylate), 320
——, poly(phenylglycidyl ether), 97
——, polypropylene, 2409
——, poly(tetramethylene terephthalate), 22
——, preparative, 2409
——, random branching, 1655
——, styrene-divinylbenzene copolymers, 333
Glass transition, gas permeability, 105
——, graft polyethylene, 535
——, perfluorinated polymers, 891
——, polyacylonitriles, 110
——, silk, 2405
Glassy polymers, precipitation, 989
Glow discharge, acetonitrile, 3139
——, plasma polymerization, 3139
——, polysilazine, 2013
Graftability, mechanical pulp, 477
Grafted fibers, adsorption, 667
——, mercapto ethylation, 666
Grafted rayon, post-decrystallization, 1378
Grafting, methods, 2991
——, parameters, 3399

Graft polymerization, initiator, 1906
——, mechanism, 1902
——, silicates, 2921
Graft polymers, analysis, 658
——, acrylamides, 48
——, cellulose, 291
——, characterization, 427
——, hydrolysis, 459
——, melting, 535
——, molecular weight, 427, 459
——, polyethylene, 535
——, preparation, 777
——, properties, 770
——, starch, 426, 665, 2565
——, vinyl polymers, 334

Hailwood-Horrobin solution theory, 1089
Heat capacity, polyurethane, 2035
Heat of reaction, polyurethane, 2036
Hensen solubility parameters, 234, 252
Hexamethylcyclotrisilazine, polymerization, 2014
Hexene-1 and sulfur dioxide, copolymer synthesis, 1160
Hinderbrand solubility parameters, 234, 252
Hydrolyzed starch, crosslinked density, 119
——, reduced viscosity function, 117
——, shear modulus, 119
——, viscosity and shear rate, 116
Hydroxyethyl cellulose, C-13 NMR, 621
——, NMR data, 624
Hysteresis, viscoelastic crack propogation, 2861

Infrared spectra, acrylic rubber, 1571
——, cellulose derivative, 1479
——, composite of copolymers, 85
——, cured polymers, 602
——, degradation products of polyester, 221
——, epoxy resin, 1097
——, plasma polymers, 3179
——, polyester, 613, 3437
——, poly(ethylene 2,4-Napthalate), 3437
——, poly(methyl methacrylate), 319
——, poly(vinyl chloride), 977
——, water, 327
Internal stress, plasma polymers, 3179
Interpenetrating networks, characterization, 1531
——, composition, 1533
——, mechanical properties, 1537
——, morphology, 1535
——, stress-strain analysis, 1539
——, synthesis, 1290, 1531
——, tensile and tear strength, 1291
——, TGA, 1293
Intrinsic volume, atomic groups, 232
Ion movement, cellulose acetate membrane, 343
Iron-epoxy composite, glass transition, 699
——, photo-micrograph, 697
——, thermal expansion co-efficient, 696
Isotactic polystyrene, characterization, 2181
——, GPC, 2185
——, synthesis, 2182
Isothermal flow reactor, polymerization, 2021
——, theory, 2022

Jute fiber, crystallinity, 1267
——, x-ray diffraction, 1268

Laser photolysis, poly(ether sulfone), 1133
Latexes, characterization, 1026
——, electrolyte stability, 1030
——, preparation, 1026, 1027
Lead acid batteries, cellulose separator, 2551
Light scattering, morphological studies, 1045
Light stabilizer, DT analysis, 919
——, DTG analysis, 919
——, TG curve, 918
——, thermal properties, 915
Liquid-liquid phase separation, asymmetric membrane, 205
Liquid-phase grafting, polyethylene fibers, 668
Load-deflection relation, rubber, 1459
Luminescence spectra, polypropylene, 2262, 3147

Macromolecular, anion exchange membrane, 3531
Maleic anhydride, addition reaction, 603
Maltose, C-13 NMR, 624
Mark-Houwink constant, branched polymers, 1663
——, copolymers of vinyl-chloride and vinyl acetate, 88
——, molecular weight, 1323
——, polyacrylamide, 3
Mass spectra, degradation product of polyester, 222
Mechanical anisotropy, polypropylene, 3287
Mechanical properties, highly filled composites, 3153
——, molded polymers, 353
——, polyvinyl chloride, 3341
Melt flow, copolymers, 1069
Melt fracture, initiation conditions, 1177
Melt spinning, Nylon 6, 2137, 2341
——, polymer systems, 515
——, polypropylene, 3003
Melt temperature, polyethylene, 2833
Melt viscosity, methacrylate-styrene copolymers, 1311
——, polystyrene, 994
Membrane, transport properties, 997
Membrane performance, 929
Membrane potential, cellulose acetate, 344
Membrane preparation, poly(allyl amine), 925
——, poly(3-butene nitrile), 925
——, poly(propylene imine), 925
——, poly(vinyl pyridine), 925
Methylacrylate-styrene copolymers, flow activation energy, 1313
——, critical molecular weight, 1319
——, melt viscosity, 1311
——, preparation, 1312
Methyl methaerylate, grafting on Nylon 66, 1965
Methyl stearate, vapor-phase chromatography, 437
Microporous films, curing, 1975
——, preparation, 1973
——, poly(vinyl chloride), 1973
Molar volume, calculations, 230
Molded polymers, mechanical properties, 353
——, morphology, 353
——, thermal analysis, 369
Molecular weight distribution, calculation, 1401
——, cellulose, 1677
——, Chen and Fan model, 1403
——, epoxy resins, 1843
——, experimental, 1846
——, GPC, 83, 1911
——, polybutadine, 3221

——, polyethylene, 2833
——, quasielastic measurements, 3259
——, theory, 1845
——, Weibull distribution function, 1667
Mooney-Rivlin plot, starch xanthide, 146

N-[Morpholino-thio]o-benzoic sulfimide, curing agent, 1843
——, synthesis, 1845
N-[Morpholino-thio]imides, curing agent, 1731
——, structure, 1738
——, synthesis, 1733
N-[Morpholinothio]succinamide, curing agent, 1731
——, synthesis, 1734
Morphology, fiber, 515

——, molded polymers, 353
Napthaline, vapor-pressure osmometry, 437
Natural latex, irradiation, 3077
Natural resin, dielectric behavior, 2469
Natural rubber, natural aging, 1155
Near infrared spectra, polymers, 449
Nitriles, mass spectral analysis, 978
——, retention indices, 977
Nobel gas, permeability, 1989
Nomex fiber, electron micrograph, 1240
——, fluoro difines addition, 2584
——, wet spinning, 1229
——, x-ray diffraction, 1241
Nuclear magnetic resonance, B-11 of trimethoxy boroxine, 100
——, C-13, 621
——, crystallization measurements, 1489
——, H-1 poly(phenylglycidyl ether), 101
——, H-1 trimethoxy boroxine, 100
——, polymer blends, 944
——, polymer mixtures, 1019
——, stretched rubber, 1491
——, wide line, 1493
Number average molecular weight, polybutadine, 3221
Nylon-6, contact angle, 2849
——, crystal structure, 821
——, crystallographic angles, 823
——, electron micrograph, 1235
——, Mark-Houwink parameters, 1230
——, mechanical properties, 2355
Nylon-6, melt spinning, 2137, 2341
——, rheological properties, 2135
——, spun fibers, 2346
——, spun filaments, 2345
——, tertiary phase equilibrium, 1231
——, unit cell data, 823
——, wet spinning, 1229
——, x-ray diffraction, 1233
Nylon 66, contact angle, 2849
——, electron micrograph, 1238
——, fracture, 1103
——, grafting of methyl methacrylate, 1965
——, tire cords, 526
——, wet spinning, 1229

Organic glass, x-ray diffraction, 1239
——, casting, 3449, 3461, 3475, 3493
Oxydative degradation, polypropylene, 1635
Oxydation behavior, polybutadine, 981
——, polyisoprene, 981
Oxygen Index, flame retardent in polymers, 1439
——, polyester fabric, 219

Packing co-efficient, calculation, 235
Paper laminates, mechanical properties, 947
Peal mechanism, elastic plastic adherend, 2817
Pentene-1 and sulfur dioxide co-polymers, synthesis, 1160
Perfluorinated polymers, degradation, 885
——, dielectric properties, 878
——, glass transition, 877
——, molecular structure, 875
——, physical properties, 875
——, thermal stability, 877
——, x-ray diffraction, 879
Permeability, cellophane, 1945
——, Nobel gas, 1989
——, molecular structure, 1993
Permeation co-efficient, polymer films, 1991
Permeation properties, membrane, 1149
Phase diagram, ternary system, 202
Phase relations, blend copolymers, 943
Phase separation, asymmetric membranes, 199
Phenol-formaldehyde polymers, near infrared spectra, 452
Phenolic polymers, compressibility, 124
——, synthesis, 123
Phenolic resin laminates, characterization, 1384
——, paper treatment parameters, 1391
——, preparation, 1384
Phenylquinoxaline, copolymers, 2157
Photo-chemical stress relaxation, activation energy, 61
——, rubber, 57
Photo-degradation, accellarators, 1277
——, ESR, 2225
——, polymers, 2225
Photo-oxidation, epoxy composite, 2241
——, polyethylene, 1273
Photo-physical process, poly(ethylene terephthalate), 2745
Photo-protection, epoxy composite, 2241
——, polypropylene, 2261
Photo-sensitized, degradation, 589
Physical properties, poly(butadine-co-styrene), 3193
Pigment retention, polyaerylamide, 30
——, poly(vinyl pyridine), 19
Plasticizer, evaluation, 3023
Plasma polymers, flow rate, 3167
——, internal stress, 3179
Plasma polymerization, acrylonitrile, 3139
——, allylamine, 2661
——, reverse osmosis membranes, 923
Poly acids, decomposition, 555
Polyacrylamide, characterization, 2
——, degradation, 1149
——, focculation studies, 9
——, GPC, 768
——, grafting on cotton, 334
——, intrinsic viscosity, 1150
Polyamides, molecular size distribution, 765
——, polymerization conditions, 765
——, reduced viscosity, 1151
——, synthesis, 2
——, water soluble polymers, 1
Polyacrylonitrile, degradation, 975
——, decomposition analysis, 976, 979
——, grafting on cotton, 335
Poly(allylamine), infrared spectra, 2670
Polyamide, analysis, 2393
——, characterization, 1549
——, fiber formation, 1553
——, membrane transport properties, 997
——, near infrared spectra, 452

——, prepolymers, 2395
——, properties, 1553
——, semiconducting properties, 2475
——, synthesis, 1545
——, wet spinning, 1557
Poly(amide hydrazide), DSC, 2300
——, preparation, 2298
——, x-ray diffraction, 2302
Poly(butadine), elastomer physical properties, 3221
——, frictional co-efficient, 788
——, GPC, 782
Polybutadine, number average molecular weight, 3221
——, oxidation behavior, 981
——, styrene copolymers, 3185
Poly(butene-1-sulfone) degradation, 797
——, preparation, 798
Poly(*n*-butyl methacrylate) specific volume, 154
Polycaprolactone, morphology, 3035
——, near infrared spectra, 452
——, polymer blends, 3035
Polycarbodiimides, molding temperature, 2003
——, preparation, 1999
——, TGA, 2002
Polycarbonates, crack growth, 1301
——, crack retardation, 1297
——, frictional electrification, 1410
——, physical characteristics, 1860
——, ultrasonic studies, 1859
Poly[carbonyl sulfonates] synthesis, 3419
Polydispersity, characterization, 1961
Polyelectrolyte, characteristics, 2126
——, conformational changes, 1363
——, complex preparation, 2125
——, degradation, 1364
——, synthesis, 1446
Polyester, chemical structure, 250
——, conformational analysis, 259
——, crosslinked, 1801
——, degradation, 611
——, degradation products, 614
——, dielectric properties, 1805
——, electrical properties, 1801
——, infrared spectra, 613, 3437
——, solvent interaction, 225, 249, 267
Poly(ether ester), composition, 544
——, preparation, 544
——, thermal properties, 544
Poly(ether sulfone), absorption-emission spectra, 1130
——, physical characteristics, 1860
——, photochemical reactions, 1129
——, ultrasonic studies, 1859
Polyethylene, branching, 2833
——, DSC, 297
——, degradation, 593
——, electron micrograph, 2330, 2740
——, ESR, 591
——, glass transition, 538
——, GPC, 3315
——, graft copolymers, 535
——, infrared spectra, 452
——, luminescent species, 3139
Polyethylene, mechanical properties, 296, 2322, 2817
——, melt fracture, 1183
——, molding, 295
——, molecular weight distribution, 3327
——, morphology, 362
——, shear creep recovery, 3249
——, shear stress, 1181
——, single crystal, 2337
——, stress cracking, 2319
——, surface treatment, 2735
——, thermodynamic functions, 2621
Poly[ethylene 2,6 Napthalate], infrared spectra, 3437
Poly(ethylene oxide), NMR, 624
——, water soluble polymer, 46
Poly[ethylene terephthalate], carbon-dioxide transport, 2894
——, chemical structure in solution, 249
——, degradation, 1687
——, electron microscopy, 2533
——, frictional electrification, 1410
——, flame retardancy, 217
——, fluorescene spectra, 2750
——, grafting of flame retardent, 2529
——, molecular conformation, 273
——, photo-degradation, 2764
——, photo-physical process, 2745
Poly(ethylene terephthalate), oxygen index, 1695
——, solubility parameters, 225
——, solvent interaction, 270
——, x-ray diffraction, 2533
Polyformaldehyde, electrical properties, 277
——, preparation of fiber, 278
——, surface charge density, 279
——, zeta potential, 281
Poly(fluoroalkoxyphosphazones), seal materials, 3185
Poly(hexyl methacrylate), electron sensitive resists, 3519
Poly(*p*-hydroxy styrene), characterization, 1203
——, degradation, 1199
——, synthesis, 1203
Polyimides, activation energy of curing, 817
——, thermochemical properties, 814
Polyisobutylene, preparation, 798
——, radiation degradation, 797
Poly isoprene, degradation, 2201
——, oxidation behavior, 981
Poly(N-Lauryl Methacrylate), GPC, 1285
——, molecular weight, 1286
Polymerization, acrylamide, 763
——, ethylene oxide, 47
——, kinetics, 91, 909, 2029, 2595
——, phenyl glycil ether, 91
Polymerization, thermal, 2595
Poly(methyl acrylate), grafting on cotton, 336
Poly(methyl-α-chloroacrylate), electron sensitive resists, 3519
Poly(methyl hydrogen siloxane), alcoholysis, 863
——, gelation, 864
——, synthesis, 864
Poly[methyl methacrylate], acostic relaxation, 319
——, degradation, 797
——, diffusion measurements, 320
——, electron sensitive resists, 3519
——, ESR, 799, 860
——, extraction, 906
——, GPC, 320
——, grafting on cotton, 337
——, infrared spectroscopy, 319
——, molecular motion, 859
——, osmotic studies, 847
——, stereo regular polymers, 403
Poly(α-methyl styrene), preparation, 796
——, radiation degradation, 797
Poly(2,2′-octamethylenebis-benzimidazole),

preparation, 182
Poly(2,2′-octamethylene-5,5′-dibenzimidazole), preparation, 182
Polyolefines, degradation, 589
Polyolefine sulfone, characterization, 679
——, electron micrograph, 1050
——, GPC, 679
——, morphology, 1045
Poly(olefine sulfone), physical properties, 1046
——, radiation sensitivity, 677
——, synthesis, 678
——, thermal characteristics, 679
Polypropylene, crystallization, 937, 941
——, degradation, 1635
——, fiber production, 2963
——, flexurial properties, 2283
——, GPC, 1637, 1644, 2409
——, infrared spectra, 1640
——, luminescence spectra, 2262
——, mechanical anisotropy, 3287
——, modification, 2963
——, photo-oxidation, 2261
——, UV spectra, 1646
Poly(propylene carbonate), modified cotton, 1940
Polyquinazolones, thermal degradation, 2905
Polysilazine, chromatography, 2014
——, mass spectra, 2016
——, NMR, 2017
——, synthesis, 2014
Polystyrene, carboxylated, 1017
——, chlorosulfonation, 2593
——, crosslinked, 2589
——, dynamic mechanical loss, 793
——, fire retardent, 2167
——, frictional electrification, 1410
——, GPC, 505
Polystyrene, infrared spectra, 452
——, mechanical properties, 2167
——, melt fracture, 1183
——, melt viscosity, 2631
——, molecular weight distribution, 2631
——, morphology, 362
——, Rayleigh spectroscopy, 1819
——, rheological studies, 2640
——, thermal properties, 2167
Polysulfone, decomposition products, 1167
——, degradation, 1159
——, electron micrograph, 168, 174, 1440, 1884
——, hollow fibers, 1884
——, micro structure, 169
——, morphology, 165
——, physical characteristics, 1860
——, pore size, 1889
——, synthesis, 1161
——, viscosity, 167
Poly(tetramethyl terephthalate), GPC, 2293
Polyurethane, curing kinetics, 2029
——, DTA, 1876
——, engineering properties, 1289
——, infrared spectra, 452, 1823
——, interpenetrating properties, 1289
——, membrane, 204
——, TGA, 1876
Poly(vinyl acetate), analysis, 1756
——, gas permeability, 105
——, molecular weight, 1755
Poly(vinyl alcohol), amino acetalization, 2125
——, carboxymethylation, 2125
——, crosslinked, 1763
——, hydrogen network, 1764
——, irradiation, 2913
——, swelling characteristics, 1767
——, thermal properties, 219
Poly(vinyl chloride), annealing, 1395
——, characterization, 2769
——, degradation, 2113
——, dehydrochlorination, 965
——, dilatometry, 1396
——, double bonds, 856
——, DSC, 1397
——, flex resistant, 1971
——, GPC, 2776
——, infrared spectra, 971
——, light scattering, 2773
——, mechanical properties, 3341
——, osmometry, 2773
——, photo-oxidation, 2211
——, polyether-ester blends, 3099
——, reactors, 839
——, stabilization, 2041, 2067, 2113
——, tacticity, 2785
——, viscoelasticity, 2953
——, viscometry, 2783
——, water permeability, 573
Poly(vinyl pyridine), absorption studies, 21
——, characterization, 17
——, flocculation studies, 18
——, synthesis, 17
——, water soluble polymers, 17
Poly(vinyl pyrolidone), degradation, 2877

Quenching mechanism, polysulfone fibers, 175
p-Quinone-dioxane, valcanizing agent, 1771
Quinoxaline, copolymers, 2157

Radial deflection, rubber, 1461
Radial mechanism, ethylene oxide block copolymers, 46
Random branching, GPC, 1655
Rayleigh spectroscopy, dispersion polymerization, 1813
——, emulsion polymerization, 1813
——, theory, 1814
Recoverable shear strain, polyethylene, 1184
——, polystyrene, 1184
Reverse osmosis, membranes, 923
——, parameters, 2051
——, polyallylamine, 2661
Rheology, cellulose, 1607
Rotational state, polyester, 262
Rubber, crystallization, 1489
——, load-deflection relations, 1459
——, natural aging, 1155

Schopper-Riegler value, 4
Secondary electron emission, organic compounds, 2722
——, polymers, 2722
Semiconductor properties, polyamides, 2475
Shear-melt viscosity, polystyrene, 2631
Shear creep recovery, polyethylene, 3249
Shellac, polymerization, 2695
Silicates, grafting, 2921
Silicone rubber, curing, 3209
Silk, DSC, 2406
——, infrared spectra, 2406
——, physical properties, 2405
Sodium bisulfate, polymerization initiator, 905
Solar energy collector, polymeric coating, 959
Solubility parameters, poly(ethylene terephthalate), 225
Solubilization, styrene, 1021
Solution theory, Hailwood-Hoorobin, 1089

Sorption isotherm, cotton, 625
——, determination, 1087
Specific volume, function of pressure, 3129
——, function of temperature, 3129
——, poly(*n*-butyl methaerylate), 154
——, poly(4-methyl pentene-1), 3129
Spin orientation, acrylic fibers, 1709
——, wet spun fibers, 1699
Squalane, vapor-pressure osmometry, 437
Stabilization, poly(vinyl chloride), 2041, 2067
Starch-acrylonitrile graft polymers, grafting conditions, 2566
——, preparation, 2566
Starch xanthide, electron microscopy, 144
——, physical properties, 143
——, preparation, 142
——, reinforced valcanizates, 141
Stereo regular polymers characteristics, 403
——, thermal behavior, 403
——, poly(methyl methacrylate), 403
Strain energy function, styrene-butadine rubber, 2459
Stress relaxation, measurements, 56
Stress-strain behavior, styrene-butadine copolymers, 2419
Stress-strain curve, Nylon 66, 1113
Styrene and Sulfur dioxide, copolymer synthesis, 1160
Styrene-butadine copolymers, characterization, 403
——, crosslinking, 1783
——, deformation behavior, 629
——, degradation products, 2080
——, diffusion of radioactive penetrants, 467
——, dynamic properties, 1790
——, electron micrograph, 638, 1190, 1745
——, flamability, 2077
——, strain energy, 2459
——, stress-strain relations, 631
Surface active agent, evaluation, 3153
Surface area, fibers, 6
——, pigments, 6
Surface charge density, polyformaldehyde, 279
Surface conductivity, polyformaldehyde, 281
Surface free energy, polymers, 2847
Swelling power, thickening agent, 115

Tait equation, polymer melts, 150
Tensile fracture, Nylon 66, 1110
Terepolymers, crystallinity, 2885
Terylene, dying, 1137
——, electron micrograph, 1146
——, mechanical properties, 1141
Thermal analysis, benzophenone, 715
——, butadine-styrene copolymers, 2433
——, cellulose, 219
——, epoxy resin, 812, 1077
——, grafted cotton, 331
——, metal filled epoxied, 689
——, polyquinazolones, 2905
——, poly(vinyl alcohol), 219
——, stereo regular polymers, 403
——, theory, 690
Thermal degradation, poly(*p*-hydroxy styrene), 1199
——, poly(*p*-methoxy styrene), 1199
——, polymers, 2905
——, polyquinazolones, 2905
——, polystyrene, 1159
——, polysulfone, 1159
——, poly(vinyl chloride), 2113
——, styrene-butadine rubber, 2079
Thermal expansion co-efficient, epoxy composites, 694
Thermal stability, perfluorinated polymers, 877
Thermochemical analysis, butadine-styrene copolymers, 2433
Thermochemical behavior, phenolic polymers, 127
——, poly(vinyl chloride), 2645
Thermodynamic functions, polyethylene, 2621
Thermomechanical spectrometry, poly(methyl metacrylate), 401
Thermostabilizer, poly(vinyl chloride), 2211
——, ultraviolet spectra, 2215
Thioglycolate, polyaddition, 1869
Thiol starches, preparation, 657
Thiolated starch, vinyl copolymers, 655
Tire cords adhesion, effect of atmospheric pollutants, 525
Toluene 2,4-dicarbonimide, polyaddition, 1869
Tortional Braid analysis, epoxy resin, 1343
——, phenolic polymers, 127
——, polymer damping factors, 1341
Tortional pendulum analysis, polymers, 791
Tosyl starch, preparation, 656
Transport parameters, cellophane, 1950
Transport properties, cationic polystyrene, 1014
——, polyamide membrane, 997
Tris (2,3-dichloro propyl) phosphate, flame retardent, 218

Urethane, polymerization kinetics, 2031
Urethane elastomer, domain structure, 2489
——, mechanical properties, 2495
——, morphology, 2492
Urethane membrane, adsorption isotherm, 2517
——, modification, 2517
Ultracentrifuse, butadine-styrene copolymers, 2231
Ultrasonic studies, polycarbonates, 1859
——, polyether sulfone, 1859
——, polysulfone, 1859

Valcanizates, butadine rubber, 1773
——, crosslinking, 1775
——, preparation, 1773
Valcanization, during agent, 1731
——, mechanism, 1778
——, polyisoprene, 2202
Vapor-phase grafting, acrylic fibers, 668
——, nylon fibers, 668
Vapor-phase grafting, orlon fibers, 668
——, rubber foam, 668
Vapor-pressure osmometry, drop size effect, 438
——, equilibrium, 440
Vena contracta supression, dilute solutions, 1359
——, theoretical, 1372
Vinyl acetate, solution polymerization, 1751
Vinyl monomers, grafting on starch, 1651
——, modified cottons, 1901
Vinyl polymers, contact angles, 2849
Viscoelastic properties, butadine-Acrylonitrile polymers, 3361
——, copolymers, 2953
——, epoxy resins, 1257, 3361
——, hysteresis, 2861
——, Nylon 6, 2152
——, solid polymers, 1351, 2933
Viscosity functions, degree of crosslinking,

1612
Volume elements, polymeric residue, 228

Waste disposable process, polyurethane, 581
Water soluble polymers, block and graft copolymers, 45
——, polyacrylamide, 1
——, poly(vinyl pyridine), 17
Weibull-distribution function cellulose, 1677
Wet spinning, polyamides, 1227
Wood, chemical modification, 455

X-ray diffraction, aramid fibers, 2794
——, cellulose, 2553
——, cellulose cotton, 1983
——, cellulosic materials, 2089
——, jute fiber, 1268
——, Kelver, 1245
——, Nomex, 1241
X-ray diffraction, Nylon 6, 1236
——, Nylon 66, 1239
——, poly(allyl benzimidazole), 184
——, poly(ethylene terephthalate), 2533
——, polyhydrazides, 2302
X-ray photo electron spectroscopy, adhesive joints, 2375

Zeta potential, polyformaldehyde, 281

Journal of Applied Polymer Science

Volume 21, 1977

Editorial Board: H. MARK • A. LEDWITH • M. MORTON
B. RANBY • P. WEISS

Advisory Board:

J. C. ARTHUR, JR.
New Orleans, La.

H. BARTL
Leverkusan, Germany

F. VAN BERKEL
Velp, Holland

R. F. BOYER
Midland, Mich.

J. H. BRADBURY
Canberra, Australia

E. CERNIA
Rome, Italy

H. CHERDRON
Frankfurt, Germany

S. L. COOPER
Madison, Wisc.

W. COOPER
Birmingham, England

H. W. COOVER, JR.
Kingsport, Tenn.

Y. S. ENIKOLOPIAN
Moscow, USSR

H. P. FRANK
Linz, Austria

Z. G. GARDLUND
Warren, Mich.

T. W. GEORGE
Raleigh, N.C.

J. K. GILLHAM
Princeton, N.J.

H. B. HOPFENBERG
Raleigh, N.C.

H. HOPFF
Zurich, Switzerland

F. E. KARASZ
Amherst, Mass.

J. L. KARDOS
St. Louis, Mo.

F. N. KELLEY
Wright-Patterson AFB, Ohio

H. KRAESSIG
Lenzing-Oberosterreich

M. KRYSZEWSKI
Lodz, Poland

J. LE BRAS
Paris, France

M. LEWIN
Jerusalem, Israel

C. W. MACOSKO
Minneapolis, Minn.

D. J. METZ
Upton, N.Y.

S. MORIMOTO
Osaka, Japan

D. MUTTON
Hawkesbury, Ontario

N. OGATA
Tokyo, Japan

N. A. PEPPAS
West Lafayette, Ind.

R. H. PETERS
Manchester, England

H. POHLEMANN
Ludwigshafen, Germany

L. REBENFELD
Princeton, N.J.

F. RODRIQUEZ
Ithaca, N.Y.

H. TSCHAMLER
Vienna, Austria

L. VALTASAARI
Otaniemi, Finland

J. L. WHITE
Knoxville, Tenn.

H. L. WILLIAMS
Toronto, Ontario

E. L. WITTBECKER
Wilmington, Del.

N. WOODING
Coventry, England

An Interscience® Publication
Published by JOHN WILEY & SONS

Copyright © 1977, by John Wiley & Sons, Inc.

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science*, monthly; *Applied Polymer Symposia*, irregularly. Published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. Second-class postage paid at New York, New York, and at additional mailing offices.

Subscription price: $230.00 per volume. Postage and handling outside U.S.A.: $20.00 per volume. Please allow four weeks for change of address.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Copyright © 1977 by John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced by any means, nor transmitted, nor translated into a machine language without the written permission of the publisher. Back volumes, microfilm, and microfiche available for previous years. Request price list from publisher.

Journal of Applied Polymer Science

Contents

Volume 21, 1977

ISSUE NO. 1, JANUARY

G. J. HOWARD, F. LYTH HUDSON, and J. WEST: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. I. Polyacrylamides 1

G. J. HOWARD, F. LYTH HUDSON, and J. WEST: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. II. Poly(vinylpyridines) 17

G. J. HOWARD, F. LYTH HUDSON, and J. WEST: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. III. Modified Polyacrylamides 29

G. J. HOWARD, F. LYTH HUDSON, and J. WEST: Water-Soluble Polymers as Retention Aids in a Model Papermaking System. IV. Some Block and Graft Copolymers 45

K. MURAKAMI and S. TAKASUGI: Chemorheological Studies on Polymer Degradation ... 55

E. ŠIMŮNKOVÁ, J. ZELINGER, V. KUBÁNEK, and J. KRÁLÍČEK: The Structure and Physical Properties of Copolymers of Lactams 65

J. JANČA and M. KOLÍNSKÝ: Gel Permeation Chromatography in the Study of the Molecular Weight Distribution of the Copolymer Vinyl Chloride–Vinyl Acetate 83

E. S. LOPATA and S. R. RICCITIELLO: The Kinetics of the Trimethoxyboroxine-Induced Thermal Polymerization of Phenyl Glycidyl Ether 91

H. YASUDA and T. HIROTSU: The Effect of Glass Transition on Gas Permeabilities 105

N. W. TAYLOR and E. B. BAGLEY: Tailoring Closely Packed Gel–Particle Systems for Use as Thickening Agents 113

R. W. WARFIELD and G. F. LEE: Transitions in Phenolic Polymer 123

C. SNYDER, W. MCIVER, and H. SHEFFER: Cationic Polymerization of β-Pinene and Styrene 131

R. J. DENNENBERG, R. A. BUCHANAN, and E. B. BAGLEY: Filler Structure and Tensile Properties of Starch Xanthide-Reinforced Vulcanizates 141

O. OLABISI and R. SIMHA: A Semiempirical Equation of State for Polymer Melts 149

I. CABASSO, E. KLEIN, and J. K. SMITH: Polysulfone Hollow Fibers. II. Morphology .. 165

S. M. AHARONI: Stoichiometrically Solvated Polyalkylbenzimidazole Crystals 181

F. L. MCCRACKIN: Calibration of Gel Permeation Chromatography Columns Using Polydisperse Polymer Standards 191

D. M. KOENHEN, M. H. V. MULDER, and C. A. SMOLDERS: Phase Separation Phenomena During the Formation of Asymmetric Membranes 199

N. INAGAKI, H. ONISHI, H. KUNISADA, and K. KATSUURA: Flame Retardancy Effects of Halogenated Phosphates on Poly(ethylene Terephthalate) Fabric 217

B. H. KNOX: Biomodal Character of Polyester–Solvent Interactions. I. Evaluation of the Solubility Parameters of the Aromatic and the Aliphatic Ester Residues of Poly(ethylene Terephthalate) 225

B. H. KNOX: Biomodal Character of Polyester–Solvent Interactions. II. Evaluation of the Chemical Structures of the Aromatic and Aliphatic Ester Residues of Poly(ethylene Terephthalate) 249

B. H. KNOX: Bimodal Character of Polyester–Solvent Interactions. III. The Effects of Morphology on the Nature of the Interaction of Nonaqueous Solvents with the Aromatic and the Aliphatic Ester Residues of Poly(ethylene Terephthalate) 267

H. T. LOKHANDE and A. S. SALVI: Electrokinetic Properties of Polyformaldehyde Fibers 277

NOTES

P. PAVLOV, K. DIMOV, and N. SIMEONOV: Grafting of Cellulose Copolymers with Water-Insoluble Monomers with Redox System Cellulose Xanthogenate–Hydrogen Peroxide 291

K. DJURNER, J. KUBÁT, and M. RIGDAHL: An HDPE-Phase Melting at 137°C Formed During Injection Molding at Pressures in the 100–500 MPa Range 295

Information for Contributors 301

ISSUE NO. 2, FEBRUARY

J. W. BARLOW: Effect of Glass Reinforcement on Burning Rates of Poly(methyl Methacrylate) Composite Candles 303

A. S. GILBERT, R. A. PETHRICK, and D. W. PHILLIPS: Acoustic Relaxation and Infrared Spectroscopic Measurements of the Plasticization of Poly(methyl Methacrylate) by Water 319

V. N. SHARMA and E. H. DARUWALLA: Thermal Behavior of Cotton Grafted with Vinyl Monomers Individually and in Mixture Compositions 331

S. HORIGOME and Y. TANIGUCHI: Ion Movements in Cellulose Acetate Membranes 343

C. D. HAN, C. A. VILLAMIZAR, Y. W. KIM, and S. J. CHEN: Morphology and Mechanical Properties of Injection-Molded Specimens of Two-Phase Polymer Blends 353

E. C. IBE and E. I. VALKO: The Absorption of Direct Dyes by Crosslinked Cellulose. I. The Equilibrium of Dyeing 371

E. C. IBE and E. I. VALKO: The Absorption of Direct Dyes by Crosslinked Cellulose. II. Rate of Dyeing and Diffusivity 385

J. K. GILLHAM, S. J. STADNICKI, and Y. HAZONY: Low-Frequency Thermomechanical Spectrometry of Polymeric Materials: Tactic Poly(methyl Methacrylates) 401

G. F. FANTA, R. C. BURR, W. M. DOANE, and C. R. RUSSELL: Graft Polymerization of Styrene onto Starch by Simultaneous Colbalt-60 Irradiation 425

C. E. M. MORRIS: Aspects of Vapor Pressure Osmometry 435

E. W. CRANDALL and A. N. JAGTAP: The Near-Infrared Spectra of Polymers 449

N. H. KOENIG: Chemical Modification of Wool in Aprotic Swelling Media 455

C.-K. RHEE and J. D. FERRY: Diffusion of Radioactively Tagged Penetrants Through Random and Block Styrene–Butadiene Copolymers and Filled *cis*-Polybutadiene 467

V. HORNOF, B. V. KOKTA, and J. L. VALADE: The Xanthate Method of Grafting. V. Graftability of Mechanical Pulp 477

H. MOTOMURA and Z. MORITA: Diffusion with Simultaneous Reaction of Reactive Dyes in Cellulose 487

T. KOTAKA: Gel Permeation Chromatography: Dispersion Effects on Molecular Weight Monitor-Installed Gel Permeation Chromatograph 501

Y. W. KIM and C. D. HAN: Studies on Melt Spinning. VII. Elongational Viscosity and Fiber Morphology of Multiphase Polymer Systems 515

R. E. HARTZ and H. T. ADAMS: Effects of Atmospheric Pollutants at High Temperature on the Adhesion of RFL-Coated Tire Cords to Rubber 525

K. TOI, M. KIKUCHI, and T. TOKUDA: Melting and Glass Transition of Radiation-Induced Graft Polyethylene 535

N. K. KALFOGLOU: Thermomechanical Studies of Semicrystalline Polyether–Ester Copolymers. Effect of Thermal, Mechanical, and Solvent Treatment 543

Y. OZARI, G. TANNY, and J. JAGUR-GRODZINSKI: Dynamic Deposition of Polyacids on Porous Membrane Supports 555

NOTES

J.-E.A. OTTERSTEDT: Water Vapor Permeability in Layered Polymer Films 573

Y. KATO, T. TAKAMATSU, M. FUKUTOMI, M. FUKUDA, and T. HASHIMOTO: Estimation of Molecular Weight by Gel Permeation Chromatography and Viscometry 577

G. A. CAMPBELL and W. C. MELUCH: Polyurethane Waste Disposal Process Development: Amine Recovery 581

ERRATA

S. NAKAMURA, H. SATO, and K. MATSUZAKI: Graft Copolymerization of Styrene onto Poly(vinyl *p*-Nitrobenzoate) by Chain Transfer Reaction 585

J. SUZUKI, H. NAKAGAWA, and H. ITO: Study on Ozone Treatment of Water-Soluble Polymers. II. Utilization of Ozonized Polyethylene Glycol by Bacteria 587

ISSUE NO. 3, MARCH

E. MANTOVANI, M. MAZZEI, A. ROBERTIELLO, and A. ZANOBI: Photosensitized Degradation of Polyolefins. II. 589

J. FURUKAWA, E. KOBAYASHI, and T. KAWAGOE: Acetylene–Butadiene Copolymer for Polymer Coatings 597

S. HUSBAND, K. E. RUSSELL, J. A. STONE, and J. K. S. WAN: Photochemical Degradation of Glassy Polyesters of Low Softening Point 611

J. R. DEMEMBER, L. D. TAYLOR, S. TRUMMER, L. E. RUBIN, and C. K. CHIKLIS: Carbon-13 NMR of Hydroxyethylcellulose: An Accurate Method for Structural Determination . 621

Y.-D. M. CHEN and R. E. COHEN: The Influence of Molecular Weight on the Large Deformation Behavior of SBS Triblock Copolymer Elastomers 629

R. A. NELSON: The Determination of Moisture Transitions in Cellulosic Materials Using Differential Scanning Calorimetry 645

D. TRIMNELL, E. I. STOUT, W. M. DOANE, and C. R. RUSSELL: Graft Copolymers from Thiolated Starch and Vinyl Monomers 655

K. HAYAKAWA and H. YAMAKITA: Preparation of Mercaptoethylated Graft Fibers for Adsorption of Heavy Metal Ions 665

E. GIPSTEIN, W. MOREAU, G. CHIU, and O. U. NEED III: The Synthesis and Evaluation of Cyclic Olefin Sulfone Copolymers and Terpolymers as Electron Beam Resists 677

G. C. PAPANICOLAOU, S. A. PAIPETIS, and P. S. THEOCARIS: Thermal Properties of Metal-Filled Epoxies 689

M. NARKIS and J. MILTZ: Peroxide Crosslinking of Ethylene–Vinyl Acetate Copolymer . 703

I. ISHIGAKI, Y. WATANABE, Y. MORITA, K. TAKADA, and A. ITO: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. I. Fundamental Study on Beaker-Scale Copolymerization 711

Y. MORITA, I. ISHIGAKI, Y. WATANABE, H. OKUBO, and A. ITO: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. II. Properties of Copolymer Obtained by Beaker-Scale Copolymerization 723

I. ISHIGAKI, Y. MORITA, K. NISHIMURA, M. YOKOOJI, and A. ITO: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. III. Study on Larger-Scale Copolymerization 735

I. ISHIGAKI, N. MORISHITA, Y. MORITA, and A. ITO: Iodine-Initiated, Solid-State Copolymerization of Tetraoxane with 1,3-Dioxolane in the Presence of Methylal. IV. Fractional Dissolution of Copolymer 749

B. T. HOFREITER: Amylose Graft Polymers Made by ^{60}Co Gamma-Irradiation 761

C.-K. RHEE and J. D. FERRY: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. I. Pentrants with Very Low Solubility 773

C.-K. RHEE, J. D. FERRY, and L. J. FETTERS: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. II. Dependence on Molecular Length of Penetrant ... 783

R. A. FAVA and C. E. CHANEY: A New Method for Torsional Pendulum Analysis of Polymers Through the Glass Transition Region 791

J. N. HELBERT, P. J. CAPLAN, and E. H. POINDEXTER: Radiation Degradation of α-Substituted Acrylate Polymers and Copolymers 797

L. T. PAPPALARDO: DSC Evaluation of Epoxy and Polyimide-Impregnated Laminates (Prepregs) 809

J. P. PARKER and P. H. LINDENMEYER: On the Crystal Structure of Nylon 6 821

NOTES

M. RAVEY: The Mechanism of Scale Formation in PVC Reactors 839

A. E. EVERAGE, JR. and R. L. BALLMAN: Extensional Deformation of Polymer Melts ... 841

J. H. LAI: Osmotic and Viscometric Studies of Poly(methyl Methacrylate) in Butanone .. 847

C. H. LEE: Bi-ionic Potentials in Anion Exchange Membranes 851

J. BOISSEL: Double Bonds in Poly(vinyl Chloride) 855

F. SZÖCS, J. PLAČEK, and B. KOTLÁRIK: Correlation of Molecular Motion and Free-Radical Decay in Irradiated PMMA 859

S. KOHAMA and Y. UMEKI: Alcoholysis of Poly(methylhydrogensiloxane) 863

ERRATA

J. L. WHITE and J. F. ROMAN: Extrudate Swell During the Melt Spinning of Fibers—Influence of Rheological Properties and Take-up Forces 869

P. C. CHRISTOPHER: Gel Permeation Chromatography Method for GPC System Definition and Performance 871

Information for Contributors 873

ISSUE NO. 4, APRIL

S. C. YEO and A. EISENBERG: Physical Properties and Supermolecular Structure of Perfluorinated Ion-Containing (Nafion) Polymers 875

K. M. PARALIKAR and S. M. BETRABET: Electron Diffraction Technique for the Determination of Cellulose Crystallinity 899

A. B. MOUSTAFA and A. A. ABD-EL-HAKIM: Sodium Bisulfite-Initiated Polymerization of Methyl Methacrylate in Aqueous Medium in the Presence of the Metal Oxides CuO and MnO_2 905

J. LUSTON, Z. MAŇÁSEK, and M. KOŠÍK: Terminal Properties of Higher Molecular Weight Light Stabilizers of the Benzophenone Type 915

J. R. HOLLAHAN and T. WYDEVEN: Some Experimental Parameters Affecting Performance of Composite Reverse Osmosis Membranes Produced by Plasma Polymerization 923

E. P. CHANG: Crystallization Studies on Fire-Retardant Polypropylene 937

S. E. SVANSON, C. ELMQVIST, Y. J. SHUR, and B. RÅNBY: Phase Relations in Poly(vinyl Chloride)/Ethylene-Vinyl Acetate Copolymer Blends with Low Contents of the EVA Polymer 943

R. E. PRUD'HOMME: Mechanical Properties of Polymer–Paper Laminates 947

D. F. PAUL and R. W. GUMBS: Solar Energy Collector Coatings from Cyclopolymers of Butadiene and Acrylonitrile 959

Y. UEGAKI and T. NAKAGAWA: Thermal Dehydrochlorination of Poly(vinyl Chloride). I. Effect of Iron Oxide on the Rate of Dehydrochlorination 965

Y. TSUCHIYA and K. SUMI: Thermal Decomposition Products of Polyacrylonitrile 975

T. SATO, K. SAKOTA, M. EGAMI, K. SHIRANO, and T. OKAYA: Oxidation Behavior of Isoprene Polymers and Butadiene Polymers 981

M. NARKIS, A. SIEGMANN, A. DAGAN, and A. T. DI BENEDETTO: Precipitation from Glassy Polymer Solutions 989

V. ENKELMANN and G. WEGNER: Transport Properties of Asymmetric Polyamide Membranes 997

K. SAKOTA and T. OKAYA: Method for the Determination of Surface Basic Groups in Cationic Polystyrene Latexes 1009

K. SAKOTA and T. OKAYA: The Distribution of Soap in the Polymerization System for Preparation of Carboxylated Polystyrene Latexes 1017

K. SAKOTA and T. OKAYA: Electrolyte Stability of Carboxylated Latexes Prepared by Several Polymerization Processes 1025

K. SAKOTA and T. OKAYA: Polymerization Behavior and Distribution of Carboxyl Groups in Preparation of Soap-Free Carboxylated Polystyrene Latexes 1035

W. H. CHU, E. GIPSTEIN, and A. C. OUANO: Morphological Studies of Poly(olefin Sulfones) by Light Scattering 1045

M. LANGSAM: Properties of Vinyl Chloride–Propylene Copolymers Prepared by Incremental Feed and Batch Feed Procedures 1057

G. C. TESORO: Flame-Resistant Polyester/Cotton Fabrics 1073

H. M. BARNES, C. SKAAR, and P. LUNER: Water Vapor Sorption by Amylose and Cellulose Acetates 1085

J. P. BELL, J. A. REFFNER, and S. PETRIE: Amine-Cured Epoxy Resins: Adhesion Due to Reaction with Air 1095

J. W. S. HEARLE and B. LOMAS: The Fracture of Nylon 66 Yarns Which Have Been Exposed to Light 1103

N. S. ALLEN and J. F. MCKELLAR: Photochemical Reactions in a Commercial Poly(ether Sulfone) 1129

J. O. WARWICKER and S. G. GRAHAM: The Structural Causes of the Dyeing Variations of Terylene Subjected to the False-Twist Texturing Process 1137

W. NAGASHIRO and T. TSUNODA: Degradation of Polyacrylamide Molecules in Aqueous Solutions by High-Speed Stirring 1149

NOTES

I. K. HAKIM, A. M. BISHAI, and F. F. HANNA: Effect of Natural Aging on the Dielectric Properties of Natural Rubber Mixed with Some White Fillers 1155

ISSUE NO. 5, MAY

E. KIRAN, J. K. GILLHAM, and E. GIPSTEIN: Pyrolysis–Molecular Weight Chromatography–Vapor-Phase Infrared Spectrophotometry: An On-Line System For Analysis of Polymers. III. Thermal Decomposition of Polysulfones and Polystyrene 1159

J. VLACHOPOULOS and T. W. CHAN: A Comparison of Melt Fracture Initiation Conditions in Capillaries and Slits 1177

A. A. DONATELLI, L. H. SPERLING, and D. A. THOMAS: A Semiempirical Derivation of Phase Domain Size in Interpenetrating Polymer Networks 1189

R. H. STILL and A. WHITEHEAD: Thermal Degradation of Polymers. XV. Vacuum Pyrolysis Studies on Poly(*p*-methoxystyrene) and Poly(*p*-hydroxystyrene) 1199

R. H. STILL and A. WHITEHEAD: Thermal Degradation of Polymers. XVI. Thermal Analysis Studies on Poly(*p*-methoxystyrene) and Poly(*p*-hydroxystyrene) in Air and Nitrogen 1215

T. A. HANCOCK, J. E. SPRUIELL, and J. L. WHITE: Wet Spinning of Aliphatic and Aromatic Polyamides 1227

A. NAKAJIMA and K. SHINODA: Permeation Properties of Glycol Chitosan–Mucopolysaccharide Complex Membranes 1249

N. HATA and J. KUMANOTANI: Viscoelastic Properties of Epoxy Resins. III. Effect of Molecular Weight of Antiplasticizers in Highly Crosslinked Antiplasticization System 1257

P. K. RAY and P. E. MONTAGUE: Crystallinity in Jute Fiber as Revealed by Multipeak Resolution 1267

L. J. TAYLOR and J. W. TOBIAS: Accelerated Photo-Oxidation of Polyethylene. I. Screening of Degradation-Sensitizing Additives 1273

H. K. MAHABADI and K. F. O'DRISCOLL: A Gel Permeation Chromatography Calibration Method for a Broad Molecular Weight Distribution Polymer 1283

S. C. KIM, D. KLEMPNER, K. C. FRISCH, and H. L. FRISCH: Polyurethane Interpenetrating Polymer Networks. V. Engineering Properties of Polyurethane–Poly(methyl Methacrylate) IPN's 1289

D. H. BANASIAK, A. F. GRANDT, JR., and L. T. MONTULLI: Fatigue Crack Retardation in Polycarbonate 1297

D. R. TERRELL and H. KATIOFSKY: Melt Viscosity Characteristics of Methacrylate–Styrene Copolymers 1311

S. M. AHARONI: On the Relationship Between K and a and Between K_θ and the Molecular Weight Per Chain Atom 1323

B. HARTMANN and G. F. LEE: Torsional Braid Analyzer Measurements of Polymer Damping Factors 1341

A. KOBAYASHI and N. OHTANI: Initial Slow Crack Growth Behavior Followed by Rapid Brittle Fracture in a Viscoelastic Solid 1351

C. S. CHIOU and R. J. GORDON: Vena Contracta Suppression in Dilute Polymer Solutions 1359

J. L. WILLIAMS, M. PIATRIK, S.-K. CHOI, and V. STANNETT: Postdecrystallization Rates of Grafted Fibers and Their Effect on Fiber Elasticity. I. Effect of Zinc Chloride Concentration 1377

J. F. MEIER, E. M. BELLOTT, JR., and P. P. FRANK: Preparation and Properties of Phenolic Resin Laminates. I. Laboratory Evaluation 1383

T. B. GARRETT and L. GOLDFARB: Annealing of Plasticized PVC. Dilatometric and DSC Observations 1395

A. AHMAD and R. G. ANTHONY: Segregated and Two-Environment Reactor Models—Calculation of Molecular Weight Distributions 1401

K. OHARA: Load and Temperature Dependence of Frictional Force and Frictional Electrification in Friction Between Polymer Films Obtained by Simultaneous Measurements 1409

A. E. EVERAGE, JR., and R. J. GORDON: Modified Bead-Spring Theory of Polymer Solutions. IV. Extension to Polymer Melts 1421

NOTES

R. LIEPINS and V. T. STANNETT: Effect of Location of Flame Retardants in Polymers on the Oxygen Index 1439

Information for Contributors 1443

ISSUE NO. 6, JUNE

P. M. VAN DER VELDEN and C. A. SMOLDERS: New Cation-Exchange Membranes for Hyperfiltration Processes 1445

J. M. HILL: Load-Deflection Relations of Long Cylindrical Rubber Bush Mountings Constructed from Rectangular Blocks 1459

R. S. LENK and J. F. KINSTLE: "Bishydrazid A2": A New Semiaromatic Film and Fiber-Forming Polymer Based on Bisacid A2 1469

H. G. SHINOUDA and A. A. HANNA: Dielectric and Infrared Study of Some Cellulose Derivatives 1479

E. VON MEERWALL, R. B. CREEL, C. F. GRIFFIN, E. DICATO, F. T. LIN, and F. M. LIN: Measurement of Crystallization in Stretched Rubber by Rapid-Passage NMR 1489

T. J. DEARLOVE and G. A. CAMPBELL: Synthesis and Characterization of Isocyanate-Terminated Polyurethane Prepolymers 1499

YU. A. ERSHOV and EU. V. DOVBII: The Effect of Active Azodyes on the Polycaproamide Photo-Oxidation Kinetics 1511

T. H. SOMASHEKAR, T. NARASIMHAM, A. K. KULSHRESHTHA, and N. E. DWELTZ: Analysis of Cotton Fiber Maturity. III. A Study of Breaking Load Distribution of Single Fibers 1519

G. M. YENWO, J. A. MANSON, J. PULIDO, L. H. SPERLING, A. CONDE, and N. DEVIA: Castor-Oil-Based Interpenetrating Polymer Networks: Synthesis and Characterization 1531

R. S. LENK, J. L. WHITE, and J. F. FELLERS: A Polyamide from Bisacid A2 and *p*-Phenylenediamine: Synthesis, Properties, and Fiber Formation 1543

S. Y. PUSATCIOGLU, H. A. MCGEE, JR., A. L. FRICKE, and J. C. HASSLER: Thermal Stability and Molecular Weight of Two New Boron–Nitrogen Polymers 1561

T. HAMAZAKI, Y. KANCHIKU, R. HANDA, and M. IZUMI: Electron-Microscopic Procedure for Acrylic Rubber 1569

L. E. NIELSEN: Polymeric Composite Systems with Two Continuous Phases 1579

V. A. SHENAI and L. H. WADHWA: Studies in Chemically Modified Celluloses. X. Affinities of Direct Dyes for Chemically Modified Celluloses 1585

E. A. SALAZAR, J. G. CURRO, and K. T. GILLEN: Physical and Chemical Stress Relaxation of a Fluorelastomer 1597

N. W. TAYLOR and E. B. BAGLEY: Rheology of a Cellulose Graft Copolymer. Comparison with Other Closely Packed Gel Thickeners 1607

J. A. WATERMAN, L. M. SHORR, M. RAVEY, and M. KRAMER: Molecular Weight Enhancement of Vinyl Chloride–Propylene Copolymers 1615

A. VENKATRAMAN, D. R. SUBRAMANIAN, B. R. MANJUNATH, and R. PADHYE: The Effect of Multiple Swelling Treatment with Ethylenediamine on Cotton Cellulose 1621

G. MAROM, H. HAREL, and J. ROSNER: Fracture Energies of Composite Propellants ... 1629

T. SHIONO, E. NIKI, and Y. KAMIYA: Oxidative Degradation of Polymers. II. Thermal Oxidative Degradation of Atactic Polypropylene in Solution Under Pressure 1635

R. MEHROTRA and B. RÅNBY: Graft Copolymerization Onto Starch. I. Complexes of Mn^{3+} as Initiators 1647

M. R. AMBLER: Evaluation of Different Branching Functions Used in the Determination of Random Branching by GPC 1655

A. BROIDO and H. YOW: Application of the Weibull Distribution Function to the Molecular Weight Distribution of Cellulose 1667

A. BROIDO and H. YOW: Resolution of Molecular Weight Distributions in Slightly Pyrolyzed Cellulose Using the Weibull Function 1677

A. GRANZOW, R. G. FERRILLO, and A. WILSON: The Effect of Elemental Red Phosphorus on the Thermal Degradation of Poly(ethylene Terephthalate) 1687

D. R. PAUL and A. L. MCPETERS: Effect of Spin Orientation on Drawing of Wet-Spun Fibers 1699

J. S. VRENTAS and J. L. DUDA: Solvent and Temperature Effects on Diffusion in Polymer–Solvent Systems 1715

ERRATA

C.-K. RHEE and J. D. FERRY: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. Penetrants with Very Low Stability 1729

C.-K. RHEE, J. D. FERRY, and L. J. FETTERS: Diffusion of Radioactively Tagged Penetrants Through Rubbery Polymers. Dependence on Molecular Length of Penetrant 1729

Announcement 1730

ISSUE NO. 7, JULY

P. N. SON and R. A. KRUEGER: *N*-(Morpholinothio)imides as Curing Agents in Semiefficient Vulcanization Systems 1731

R. OONO: Distribution of Carbon Black in SBR 1743

A. CHATTERJEE, K. KABRA, and W. W. GRAESSLEY: Free-Radical Polymerization with Long-Chain Branching: Batch Polymerizations of Vinyl Acetate in *t*-Butanol 1751

N. A. PEPPAS and E. W. MERRILL: Crosslinked Poly(vinyl Alcohol) Hydrogels as Swollen Elastic Networks 1763

L. M. GAN, G. B. SOH, and K. L. ONG: Vulcanization of Butyl Rubber by *p*-Quinone Dioxime 1771

Z. K. BRZOZOWSKI, M. GAJEWSKI, and Z. BRZEZINSKI: Properties of Elastomers Crosslinked by Bisglycidyl Ether of 2,2-Bis(*p*-hydroxyphenyl)-1,1,1-trichloroethane 1783

K. L. LEE, H. B. HOPFENBERG, and V. T. STANNETT: The Effect of Chelation on the Selective Transport of Alkaline-Earth Metal Ions in Asymmetric Cellulose Acetate Hyperfiltration Membranes 1795

N. KONIECZNY, G. MAROM, and A. WEINBERG: Bromostyrene-Crosslinked Polyesters. III. Electrical Properties 1801

P. C. KILLGOAR, JR., and R. A. DICKIE: Application of Rayleigh Spectroscopy to the Study of Emulsion and Dispersion Polymerization and Polymers 1813

R. Y. TING and D. L. HUNSTON: Some Limitations on the Detection of High Elongational Stress Effects in Dilute Polymer Solutions 1825

J. IZYDORCZYK, J. PODKÓWKA, J. SALWIŃSKI, and Z. GRZYWNA: A New Method of Determination of the Permeability of Vapors of Volatile Liquid Substances Through Polymer Membranes 1835

H. BATZER and S. A. ZAHIR: Studies in the Molecular Weight Distribution of Epoxide Resins. IV. Molecular Weight Distributions of Epoxide Resins Made from Bisphenol A and Epichlorohydrin 1843

D. W. PHILLIPS, A. M. NORTH, and R. A. PETHRICK: Ultrasonic Studies of Polycarbonate, Polysulfone, and Polyether Sulfone 1859

A. ZOCHNIAK: Products of Polyaddition of Toluene 2,4-Dicarbonimide with Triethylene Glycol Glycolate, Thioglycolate, Lactate, and *p*-Hydroxybenzoate 1869

I. CABASSO, K. Q. ROBERT, E. KLEIN, and J. K. SMITH: Porosity and Pore Size Determination in Polysulfone Hollow Fibers 1883

A. HEBEISH, M. H. EL-RAFIE, M. I. KHALIL, and A. BENDAK: Graft Copolymerization of Vinyl Monomers onto Modified Cottons. VIII. Dimethylaniline–Benzyl Chloride-Induced Grafting of Methyl Methacrylate onto Partially Carboxymethylated Cotton 1901

W. W. YAU, H. J. STOKLOSA, and D. D. BLY: Calibration and Molecular Weight Calculations in GPC Using a New Practical Method for Dispersion Correction—GPCV2 1911

S. MORI: High-Speed Gel Permeation Chromatography. A Study of Operational Variables 1921

T. L. WARD and R. R. BENERITO: Grafting of Cyclic Carbonates onto Cotton and Modified Cottons 1933

Y. KAMIYA and F. TAKAHASHI: Effect of Water on Permeation, Diffusion, and Solution of Gases in Cellophane 1945

L. MARAIS, Z. GALLOT, and H. BENOÎT: A New Method for Correcting Axial Dispersion in GPC 1955

A. HEBEISH, M. H. EL-RAFIE, M. I. KHALIL, and A. BENDAK: Grafting of Nylon 66 with Methyl Methacrylate Using Dimethylaniline–Benzyl Chloride–Acetic Acid Initiating System 1965

J.-E. A. OTTERSTEDT: Flex-Resistant Permeable PVC & Films 1971

H. Z. JUNG, R. R. BENERITO, R. J. BERNI, and D. MITCHAM: Effect of Low Temperatures on Polymorphic Structures of Cotton Cellulose 1981

H. G. HAMMON, K. ERNST, and J. C. NEWTON: Noble Gas Permeability of Polymer Films and Coatings 1989

L. M. ALBERINO, W. J. FARRISSEY, JR., and A. A. R. SAYIGH: Preparation and Properties of Polycarbodiimides 1999

NOTES

K. OMATA, Y. NOZAWA, and F. HIGASHIDE: Drug Release from Cellulose Acetate Phthalate Gel 2009

ISSUE NO. 8, AUGUST

M. GAZICKI, A. M. WRÓBEL, and M. KRYSZEWSKI: Studies on Soluble Fraction of Glow-Discharge Polysilazane Formed from Hexamethylcyclotrisilazane 2013

A. AHMAD, M. N. TREYBIG, and R. G. ANTHONY: Multiple Steady-State Solutions in an Isothermal Perfectly Mixed Flow Reactor 2021

S. D. LIPSHITZ and C. W. MACOSKO: Kinetics and Energetics of a Fast Polyurethane Cure 2029

T. IIDA, N. KATAOKA, N. UEKI, and K. GOTŌ: Stabilization of Poly(vinyl Chloride). III. Synergism Between Metal Soaps and Masking Agents on the Stabilization of Poly(vinyl Chloride) 2041

O. KUTOWY, T. MATSUURA, and S. SOURIRAJAN: Parameters for Prediction of Reverse Osmosis Performance of Cellulose Acetate Propionate Membranes 2051

I. LERKE and W. SZYMAŃSKI: Radiation Yield of Hydrogen Chloride in Gamma-Irradiated Poly(vinyl Chloride) Stabilized by Epoxy Compounds 2067

R. H. KRATZER, K. L. PACIOREK, J. KAUFMAN, J. H. NAKAHARA, and A. M. HARTSTEIN: Flammability and Degradation Characteristics of Styrene–Butadiene Rubbers 2077

A. K. KULSHRESHTHA and N. E. DWELTZ: A New Process of Decrystallization and Partial Acetylation of Cellulosic Materials 2085

J. SCHULTZ and N. J. WESTBROOK: Rupture Mechanisms of Elastomer–Metal Adhesive Systems 2097

K. PROCHASKA and J. WYPYCH: Basic Principles of Thermal Degradation and Thermal Stabilization of Poly(vinyl Chloride). Mathematical Model of the Action of PVC Thermal Stabilizers 2113

M. HOSONO, S. SUGII, R. KITAMARU, Y. MAN HONG, and W. TSUJI: Polyelectrolyte Complex Prepared from Carboxymethylated and Aminoacetalized Derivatives of Poly(vinyl Alcohol) 2125

V. G. BANKAR, J. E. SPRUELL, and J. L. WHITE: Melt-Spinning Dynamics and Rheological Properties of Nylon 6 2135

P. M. HERGENROTHER: Quinoxaline/Phenylquinoxaline Copolymers 2157

E. P. CHANG, R. KIRSTEN, E. L. SLAGOWSKI: Dynamic Mechanical and Thermal Properties of Fire-Retardant High-Impact Polystyrene 2167

J. M. GUENET, Z. GALLOT, C. PICOT, and H. BENOIT: Isotactic Polystyrene Characterization by Gel Permeation Chromatography in Tetrahydrofuran 2181

A. HEBEISH, A. Z. MOURSI, M. I. KHALIL, and F. A. ABDEL-MOHDY: Dyeing of Chemically Modified Celluloses. II. Effect of Chemical Modification of Cellulose on the Dyeing Properties of Some Direct Dyes 2191

S. YAMASHITA, N. KAWABATA, S. SAGAN, and K. HAYASHI: Reclamation of Vulcanized Rubbers by Chemical Degradation. V. Degradation of Vulcanized Synthetic Isoprene Rubber by the Phenylhydrazine–Ferrous Chloride System 2201

J. F. RABEK, G. CANBÄCK, and B. RÄNBY: Studies on the Photo-oxidation Mechanisms of Polymers. VI. The Role of Commercial Thermostabilizers in the Photostability of Poly(vinyl Chloride) 2211

J. J. WINDLE and B. FREEDMAN: Electron Spin Resonance Studies on Photodegradable Polymers 2225

C. J. STACY: Determination of Compositional Heterogeneity in Butadiene–Styrene Copolymers by Density Gradient Ultracentrifugation 2231

G. A. GEORGE, R. E. SACHER, and J. F. SPROUSE: Photooxidation and Photoprotection of the Surface Resin of a Glass Fiber–Epoxy Composite 2241

J. ŠŇUPÁREK, JR. and F. KRŠKA: Semicontinuous Emulsion Copolymerization of Acrylonitrile, Butyl Acrylate, and Styrene 2253

N. S. ALLEN, J. HOMER, and J. F. MCKELLAR: Origin and Role of the Luminescent Species in the Photo-oxidation of Commercial Polypropylene 2261

M. R. AMBLER and D. MCINTYRE: Randomly Branched Styrene/Divinylbenzene Copolymers. II. Solution Properties and Structure 2269

NOTES

M. FUJIYAMA and S. KIMURA: Effect of Some Molecular Parameters on the Flexural Properties of Injection-Molded Polypropylene 2283

J. L. WHITE and A. KONDO: Ends Pressure Losses in Extrusion of Polymer Melts Through Dies 2289

E. L. SLAGOWSKI, R. C. GEBAUER, and G. J. GAESSER: The Gel Permeation Chromatography of Poly(tetramethylene Terephthalate) 2293

ISSUE NO. 9, SEPTEMBER

R. S. LENK: Fully Ordered Copolyhydrazides Based Upon Bisacid A2 2297

A. R. SHULTZ and B. M. BEACH: Thermo-optical Analysis of Poly(2,6-dimethyl-1,4-phenylene Oxide)/Triblock Styrene–Butadiene–Styrene Copolymer Blends 2305

A. SIEGMANN and M. NARKIS: Thermal Analysis of Thermosetting Phenolic Compounds for Injection Molding 2311

C. J. SINGLETON, E. ROCHE, and P. H. GEIL: Environmental Stress Cracking of Polyethylene 2319

V. G. BANKAR, J. E. SPRUIELL, and J. L. WHITE: Melt Spinning of Nylon 6: Structure Development and Mechanical Properties of As-Spun Filaments 2341

P. PEYSER and W. D. BASCOM: Kinetics of Epoxy Resin Polymerization Using Differential Scanning Calorimetry 2359

M. GETTINGS, F. S. BAKER, and A. J. KINLOCH: Use of Auger and X-ray Photoelectron Spectroscopy to Study the Locus of Failure of Structural Adhesive Joints 2375

G. F. SYKES and P. R. YOUNG: The Effluent Analysis of Several Pyrrone and Polyimide Precursors During Cyclization 2393

J. MAGOSHI, Y. MAGOSHI, and S. NAKAMURA: Physical Properties and Structure of Silk. IV. The Glass Transition and Conformational Changes of Tussah Silk Fibroin 2405

M. F. VAUGHAN and M. A. FRANCIS: Preparative Gel Permeation Chromatography. I. Polypropylene 2409

J. L. LEBLANC: Stress–Strain Behavior, Hardness, and Thermomechanical Properties of Butadiene–Styrene Block Copolymers as a Function of Processing Technique 2419

M. R. AMBLER, L. J. FETTERS, and Y. KESTEN: The Effects of Flow Rate and Column Combination on the Separation Efficiency in Multicolumn Gel Permeation Chromatography 2439

R. J. ARENZ: On the Form of the Strain Energy Function for a Family of SBR Materials 2453

D. N. GOSWAMI and P. R. BHATTACHARYA: The Dielectric Behavior of the Natural Resin Manila Copal 2465

T. CZEKAJ and J. KAPKO: Semiconductor Properties of Polyamide-6 Containing Dispersed Copper or Zinc Additives 2475

T. SAEGUSA, S. KOBAYASHI, and A. YAMADA: Preparation of Crosslinked Poly(styrene-*g*-N-carboxyalkylated Ethylenimine) as Chelating Resin 2481

R. R. LAGASSE: Domain Structure and Time-Dependent Properties of a Crosslinked Urethane Elastomer 2489

B. KUNST and Z. VAJNAHT: On the Structure of concentrated Cellulose Acetate Solutions 2505

H. OHYA, H. KONUMA, and Y. NEGISHI: Posttreatment Effects on Pore Size Distribution of Loeb-Sourirajan-Type Modified Cellulose Acetate Ultrathin Membranes 2515

R. LIEPINS, J. R. SURLES, N. MOROSOFF, and V. T. STANNETT: Localized Radiation Grafting of Flame Retardants to Poly(ethylene Terephthalate). I. Bromine-Containing Monomers 2529

J. R. DAFLER: The Ultimate Polymer Application: Resin-Bonded Cellulose Separators for Lead–Acid Batteries 2551

E. I. STOUT, D. TRIMNELL, W. M. DOANE, and C. R. RUSSELL: Graft Copolymers of Starch–Polyacrylonitrile Prepared by Ferrous Ion–Hydrogen Peroxide Initiation ... 2565

J. E. THOMPSON and K. A. REYNARD: Poly(aryloxyphosphazenes) and a Flame Retardant Foam ... 2575

ISSUE NO. 10, OCTOBER

M. S. TOY and R. S. STRINGHAM: Photoaddition of Fluoroolefins on Aromatic Polyamide ... 2583

M. A. PETIT and J. JOZEFONVICZ: Synthesis of Copper(II) Complexes of Asymmetric Resins Prepared by Attachment of α-Amino Acids to Crosslinked Polystyrene ... 2589

A. F. YEE and M. T. TAKEMORI: An Improved Technique for the Measurement of Dynamic Mechanical Properties of Viscoelastic Materials ... 2597

S. YOMODA and L. H. SPERLING: Viscoelastic Behavior of Partly Decrosslinked Polymer Networks. I. Acrylic Acid Anhydride-Crosslinked Poly(ethyl Acrylate) ... 2609

R. N. GUPTA, P. C. JAIN, and V. S. NANDA: Effect of Pressure on Melting Temperature and Other Associated Thermodynamic Functions of Polyethylene ... 2621

B. H. BERSTED and J. D. SLEE: A Relationship Between Steady-State Shear Melt Viscosity and Molecular Weight Distribution in Polystyrene ... 2631

S. YANO: Thermomechanical Behavior of Poly(vinyl Chloride) in the Process of Degradation ... 2645

D. PERIC, A. T. BELL, and M. SHEN: Reverse Osmosis Characteristics of Composite Membranes Prepared by Plasma Polymerization of Allylamine. Effects of Deposition Conditions ... 2661

B. L. JOESTEN and E. R. WAGNER: Halogen-Modified Impact Polystyrene. II. Evidence for Condensed-Phase Reactions by Thermogravimetry ... 2675

J. TAKEZAKI, T. OKADA, and I. SAKURADA: Radiation-Induced Polymerization of Styrene at High Dose Rates ... 2683

A. KUMAR: Kinetics of Thermal Polymerization of Shellac. V. Turbidimetric and Fractionation Studies ... 2695

C. C. LIN and K. H. HSIEH: The Kinetics of Polyesterification. I. Adipic Acid and Ethylene Glycol ... 2711

Y. KISHIMOTO, T. HAYASHI, M. HASHIMOTO, and T. OHSHIMA: Secondary Electron Emission from Polymers and Its Application to the Flexible Channel Electron Multiplier ... 2721

K. KATO: Investigation of High-Density Polyethylene Film Surface Treated with Chromic Acid Mixture by Use of 2,4-Dinitrophenylhydrazine. II. Film Surfaces Treated at 70°C ... 2735

R. G. MERRILL and C. W. ROBERTS: Photophysical Processes and Interactions Between Poly(ethylene Terephthalate) and 1-Amino-2-(2-methoxyethoxl)-4-hydroxy-9,10-Anthraquinone ... 2745

E. M. SÖRVIK: The NORDFORSK PVC Polymer Characterization Project ... 2769

L. KONOPASEK and J. W. S. HEARLE: The Tensile Fatigue Behavior of para-Oriented Aramid Fibers and Their Fracture Morphology ... 2791

A. N. GENT and G. R. HAMED: Peel Mechanics for an Elastic-Plastic Adherend ... 2817

H. L. WAGNER and F. L. MCCRACKIN: Branching and Molecular Weight Distribution of Polyethylene SRM 1476 ... 2833

T. MATSUNAGA: Surface Free Energy Analysis of Polymers and Its Relation to Polymer Constitution ... 2847

P. E. FROEHLING, D. M. KOENHEN, C. A. SMOLDERS, and A. BANTJES: Uptake of Tridodecylmethylammonium Chloride by PVC ... 2855

A. KOBAYASHI and N. OHTANI: Prefatigue Hysteresis Effects on Viscoelastic Crack Propagation ... 2861

ISSUE NO. 11, NOVEMBER

J. A. R. RENUNCIO and J. M. PRAUSNITZ: Volumetric Properties of Block and Random Copolymers of Butadiene and Styrene at Pressures to 1 Kilobar 2867

T. LINDSTROM, C. SÖREMARK, and L. WESTMAN: Lignin Gels as a Medium in Gel Permeation Chromatography 2873

A. NAKANO and Y. MINOURA: Degradation of Aqueous Poly(vinylpyrrolidone) Solution by High-Speed Stirring 2877

C. K. SHIH and E. F. CLUFF: Crystalline Characteristics of Ethylene/Propylene/1,4-Hexadiene Terpolymers and Related Ethylene Copolymers 2885

W. J. KOROS, D. R. PAUL, M. FUJII, H. B. HOPFENBERG, and V. STANNETT: Effect of Pressure on CO_2 Transport in Poly(ethylene Terephthalate) 2899

A. GHAFOOR and R. H. STILL: Thermal Degradation of Polymers. XVII. Thermal Analysis of Polyquinazolones and Related Systems 2905

I. K. VARMA, K. K. SHARMA, and D. S. VARMA: Irradiation of Poly(vinyl Alcohol) Fibers in the Presence of Chloroform and Carbon Tetrachloride 2913

K. HAYAKAWA, K. KAWASE, and H. YAMAKITA: Graft Polymerization of Triethoxyvinylsilane–Styrene and Triethoxyvinylsilane–Methyl Methacrylate Binary Monomers onto Various Silicates 2921

G. TITOMANLIO and G. RIZZO: Master Curves of Viscoelastic Behavior in the Plastic Region of a Solid Polymer 2933

H. T. LOCKHANDE, E. H. DARUWALLA, and M. R. PADHYE: *Deuteration of Cotton Fibers.* II. A Novel Method of Deuteration-Infrared Study of Cellulose in Fiber Form 2943

G. BERGMAN, H. BERTILSSON, and Y. J. SHUR: Antiplasticization and Transition to Marked Nonlinear Viscoelasticity in Poly(vinyl Chloride)/Acrylonitrile–Butadiene Copolymer Blends 2953

D. J. CARLSSON, A. GARTON, and D. M. WILES: The Weatherability of Polypropylene Monofilaments. Effects of Fiber Production Conditions 2963

T. OGAWA and T. INABA: Gel Permeation Chromatography of Ethylene–Propylene Copolymerization Products 2979

V. HORNOF, C. DANEAULT, B. V. KOKTA, and J. L. VALADE: The Xanthate Method of Grafting. VI. The Copolymer–Homopolymer Ratio 2991

H. P. NADELLA, H. M. HENSON, J. E. SPRUIELL, and J. L. WHITE: Melt Spinning of Isotactic Polypropylene: Structure Development and Relationship to Mechanical Properties 3003

E. W. NEUSE and J. D. VAN SCHALKWYK: Cardanol Derivatives as PVC Plasticizers. II. Plasticizer Evaluation 3023

D. S. HUBBELL and S. L. COOPER: The Physical Properties and Morphology of Poly-ϵ-caprolactone Polymer Blends 3035

N. NAKAJIMA, H. H. BOWERMAN, and E. A. COLLINS: Nonlinear Viscoelastic Behavior of Butadiene–Acrylonitrile Copolymers Filled with Carbon Black 3063

S. KARTOWARDOYO and FL. SUNDARDI: Studies on the Preparation and Uses of Co-60 Gamma-Ray Irradiated Natural Latex 3077

A. W. FRANK and G. L. DRAKE, JR.: Uses of Aldehydes Other Than Formaldehyde in THPOH/Ammonia Flame Retardant Finishes for Cotton 3087

D. J. HOURSTON and I. D. HUGHES: Polymeric Systems for Acoustic Damping. I. Poly(vinyl Chloride)–Segmented Polyether Ester Blends 3099

B. S. MEHTA, A. T. DIBENEDETTO and J. L. KARDOS: Sorption and Diffusion of Water in Glass Ribbon-Reinforced Composites 3111

P. ZOLLER: The Specific Volume of Poly(4-methylpentene-1) as a Function of Temperature (30°–320°C) and Pressure (0–2000 kg/cm^2) 3129

H. YASUDA and T. HIROTSU: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. VIII. Dependence of Plasma Polymerization of Acrylonitrile on Glow Characteristic 3139

N. S. ALLEN, J. HOMER, J. F. MCKELLAR, and D. G. M. WOOD: Identification of the Luminescent Species in Low-Density Polyethylene 3147

G. PERRAULT and G. DUCHESNE: Evaluation of Surface-Active Agents by Mechanical Properties of Highly Filled Composites 3153

H. YASUDA and T. HIROTSU: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. IX. Flow-Rate Dependence of Properties of Plasma Polymers of Acetylene and Acrylonitrile 3167

H. YASUDA, T. HIROTSU, and H. G. OLF: Polymerization of Organic Compounds in an Electrodeless Glow Discharge. X. Internal Stress in Plasma Polymers 3179

ISSUE NO. 12, DECEMBER

J. C. VICIC and K. A. REYNARD: Poly(fluoroalkoxyphosphazenes)—Versatile Seal Materials 3185

G. G. A. BÖHM, M. DETRANO, D. S. PEARSON, and D. R. CARTER: Comparison of the Physical Properties of Radiation and Sulfur-Cured Poly(Butadiene–co–Styrene) ... 3193

P. VONDRÁČEK and M. SCHÄTZ: Bound Rubber and "Crepe Hardening" in Silicone Rubber 3211

K. ONO, H. SHIMADA, T. NISHIMURA, S. YAMASHITA, H. OKAMOTO, and Y. MINOURA: Effects of Number-Average Molecular Weight of Liquid Hydroxyl-Terminated Polybutadiene on Physical Properties of the Elastomer 3223

M. R. AMBLER and D. MCINTYRE: Randomly Branched Styrene/Divinylbenzene Copolymers. I. Preparation, Molecular Weight Characterization, and GPC Analysis 3237

P. K. AGARWAL and D. J. PLAZEK: Shear Creep Recovery Behavior of IUPAC Low-Density Polyethylenes 3251

M. E. MCDONNELL and A. M. JAMIESON: The Molecular Weight Average Obtained by Combining Quasielastic Light-Scattering and Intrinsic Viscosity Measurements 3261

F. VIGO, A. BOTTINO, S. MUNARI, and G. CAPANNELLI: Preparation of Asymmetric PTFE Membranes and Their Application in Water Purification by Hyperfiltration 3269

M. FUJIYAMA, H. AWAYA, and S. KIMURA: Mechanical Anisotropy in Injection-Molded Polypropylene 3291

G. KRAUS and K. W. ROLLMANN: The Entanglement Plateau in the Dynamic Modulus of Rubbery Styrene–Diene Block Copolymers. Significance to Pressure-Sensitive Adhesive Formulations 3311

A. BARLOW, L. WILD, and R. RANGANATH: Gel Permeation Chromatography of Polyethylene. I. Calibration 3319

L. WILD, R. RANGANATH, and A. BARLOW: Gel Permeation Chromatography of Polyethylene. II. Rapid Evaluation of Long-Chain Branching and Molecular Weight Distribution 3331

D. M. SHINOZAKI, K. WOO, J. VLACHOPOULOS, and A. HAMIELEC: Influence of Processing Parameters and Molecular Weight on the Mechanical Properties of PVC 3345

S. H. ABDEL-FATTAH, S. E. SHALABY, E. A. ALLAM, and A. HEBEISH: Benzoyl Peroxide-Induced Graft Polymerization of 2-Methyl-5-Vinylpyridine Onto Polyester/Wool Blend 3355

K. SUZUKI, Y. MIYANO, and T. KUNIO: Change of Viscoelastic Properties of Epoxy Resin in the Curing Process 3367

T. MORI, K. OGAWA, and T. TANAKA: Heterogeneous Network Polymers. IV. Dynamic Mechanical Properties—Composition—Phase Structure Relationships 3381

R. MEHROTRA and B. RÅNBY: Graft Copolymerization Onto Starch. II. Grafting of Acrylonitrile to Granular Native Potato Starch by Manganic Pyrophosphate Initiation. Effect of Reaction Conditions on Grafting Parameters 3407

T. H. SOMASHEKAR, A. K. KULSHRESHTHA, T. NARASIMHAM, and N. E. DWELTZ: Effect of Slack Mercerization and Tension Mercerization on the Breaking Load Distribution of Cotton Fibers 3417

G. B. GUISE: Poly(carbamoyl Sulfonates) (Bisulfite Adducts of Polyisocyanates) 3427

I. OUCHI, M. HOSOI, and S. SHIMOTSUMA: Infrared Spectra of Poly(ethylene 2,6-Naphthalate) and Some Related Polyesters 3445

M. JOHNSON and R. G. HAUSERMAN: Diffusion of Stabilizers in Polymers. IV. 2,4-Dihydroxybenzophenone in Plasticized Poly(vinyl Chloride) 3457

H. A. GRUBER, E. H. HARRIS, JR., and S. H. FEAIRHELLER: Characterization of the Chromium(III)-Crosslinked Collagen–Poly(Butyl Acrylate) Graft Copolymer 3465

ERRATUM

K. KUSUMOTO, H. IHARA, and Y. MIZUTANI: Preparation of Macroreticular Anion Exchange Membrane and Its Behavior Relating to Organic Fouling 3473

Author Index 3475

Subject Index 3487

Volume Title Page i

Volume Contents iii